




**Order number:** 303-E4-9007VA-AP

**Manufacturer:** Briefkasten Manufaktur Lippe

ab **€144.90 \***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users  
with VAT ID and Non-EU countries)



## Mailbox KANT Edition with newspaper box - Design Elegance 4 - RAL 9007 gray aluminum

The KANT Edition mailbox combines **elegant design** and functional convenience in one product. Its minimalist design with invisible lock and stylish labeling option fits seamlessly into modern living environments. Rely on **long-lasting quality** thanks to our excellent choice of materials and precise workmanship.

The generous capacity of about 12 liters and the insertion from above ensure crease-free mail - even with DIN C4 envelopes and magazines. For added convenience, the mailbox is equipped with **high-quality axle dampers** that allow for a smooth and quiet closing of the insertion flap. The newspaper compartment of this mailbox offers maximum functionality with double-sided occupancy, ideal for modern everyday life. Included in the delivery is a subsequently mountable closing lid, which gives you the possibility to reliably close the weather side.

Thanks to the construction method, self-assembly is uncomplicated.

- High-quality manufactured surface-mounted mailbox made of galvanized steel, powder-coated in RAL 9007 gray aluminum fine structure matt.
- Design Elegance 4: Stainless steel trim, ground in 240 grain.
- Door opens from top to bottom.
- Insertion from above, insertion flap with high-quality axle dampers for silent closing.
- Includes 2 keys with key number.
- The mailbox complies with DIN/EN 13724. Insert size (3.5 cm x 33.5 cm) for C4 crosswise, here fit even large letters without bending.
- Newspaper compartment (BH 360x110mm) made of galvanized steel, powder coated in RAL 9007 gray aluminum fine structure matt. Open on both sides (1x cover enclosed).
- Optional name inscription approx. 20-30mm high.
- Optional house number inscription approx. 60-80mm high.
- For surface wall mounting including mounting screws.

### Important information:

In order to achieve optimum water protection of your mail, the mailbox or mailbox system should be located under a canopy if possible.

Mail is only protected from water when it is completely inserted in the box and the insertion flap is closed. Mail that is not completely inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

### Abmessungen & Details

Number of parties:	1
Item withdrawal:	Front
Base material:	Steel galvanized
Height single box in cm:	BK 28,0   ZF 11,0
Width single box in cm:	35,5
Volume single box in liters:	12,0
Height letter slot in cm:	3,5
Width letter slot in cm:	33,5
Height letterbox system in cm:	41,2
Width letterbox system in cm:	37,2
Depth in cm:	11,0 + 2,1 Blende
Weight in kg:	6,0
Delivery condition:	Delivery is completely assembled
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).