




Order number: 215-UP-PK

Manufacturer: Briefkasten Manufaktur Lippe

ab **€1,561.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



Design flush-mounted parcel box GOETHE - lock system - RAL of your choice

Parcel delivery has changed dramatically in recent years - today's customers expect more flexibility and security than ever before. With the GOETHE flush-mounted parcel box from Briefkasten Manufaktur, you can rely on an optimum combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminum.

The flush-mounted GOETHE parcel box has a specially designed delivery lock. As soon as the parcel carrier places your parcel inside and closes the lock, the parcel automatically falls into the securely locked removal box below. After this process, the delivery lock is immediately ready for further deliveries and is automatically isolated from the removal box, guaranteeing maximum security for your parcels. A parcel box for the simple receipt of parcels, parcel receipt independent of the delivery agent! Any parcel delivery company (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel box. The spacious interior of the GOETHE parcel box is designed to accommodate the DHL Paket M and even several smaller parcels. Depending on the placement of the DHL size M parcel, four such parcels can even be stored safely and conveniently. In addition, the insertion of letters, magazines and catalogs is also no problem (no compartmentalization possible!).

Briefkasten Manufaktur attaches particular importance to the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE parcel box ensures extremely high corrosion resistance and a strikingly attractive surface finish. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel box reaches you in the required quality. Rely on the GOETHE parcel box for a secure, flexible and stylish solution to your parcel delivery needs. Let yourself be won over by a product that combines traditional craftsmanship with state-of-the-art technology - in the spirit of letterbox manufacturing.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

- High-quality parcel box made of stainless steel and aluminum for flush wall mounting.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- Parcel box (BH 400x1200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser inscription.
- Parcel compartment volume: 128 liters, max. Parcel dimensions: 355 x 375 x 305 mm (WD), corresponding to parcel size M.
- Parcel flap with damping for quiet closing.
- Innovative push-key lock with 2 keys.
- Removal door can be opened from top to bottom.
- Optimum rain protection thanks to rain guard edges and a rain cover made of 3 mm aluminum AlMg3 W19, powder-coated in RAL of your choice.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL color.

Important information

Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible. The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Abmessungen & Details

Number of parties:	1
Item withdrawal:	Front
Base material:	Stainless steel
Height single box in cm:	120,0
Width single box in cm:	40,0
Volume single box in liters:	128,0
Height letterbox system in cm:	Outer dimension 45.0 Installation dimension 40.3
Width letterbox system in cm:	Outer dimension 125.0 Installation dimension 120.3
Total width in cm:	45,0
Depth in cm:	40,0 Einbaumaß 40,35
Weight in kg:	38,0
Delivery condition:	Delivery is assembled
Shipping information:	Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.