






Order number: 335ST

Manufacturer: Briefkasten Manufaktur Lippe

ab **€629.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



MONTAGEHILFE

Wir empfehlen bei freistehenden Anlagen folgende Fundamente aus Beton (B20). Maße pro Gerätebreite 450 x 450 mm. Bei kleineren Anlagen wird ein durchgehendes Fundament mit folgenden Maßen benötigt: Anlagenbreite x 450 x 450 mm. Je nach Bodenbeschaffenheit ist das Fundament zu vergrößern. Das Fundamentende sollte mindestens 700 mm betragen, je nach Freigabe im Boden. Die Einbauelemente für die Standverschiebung sollte 300 mm - 500 mm betragen. Vor Ausbau ist es ratsam, einen Spaltplan über den geplanten Montageort beim zuständigen Amt einzuholen, damit Bauabläufe, Lastkapazität usw. nicht beeinträchtigt werden.

Bitte achten Sie vor dem Betreiben auf das Einziehen der Kabel. Wird die Anlage auf ein Betonfundament aufgeschraubt, müssen dazu Schwenkanker (Durchmesser 10 mm) oder gleichwertig verwendet werden.

Stainless steel doorbell pillar DESIGNER ST-R in titanium look

Doorbell in solid design made of stainless steel V2A / 2-color glass bead blasted. Made in Germany.

- Doorbell made of stainless steel V2A - optics titanium coated black with blasted house number.
- LED light strip made of stainless steel put on. Lighting with energy-saving LED's (discreetly shining downwards).
- Name inscription directly on the front panel.
- House number approx. 70mm high (1-2-digit) with multi-digit house numbers the digit height is adapted.
- The hole pattern is prepared for an intercom system (built-in speaker not included).
- Short stroke bell pushbutton with LED ring illumination (blue, white, red or green).
- Dimensions intercom: W 160 mm x H 320 mm x D 8 mm.
- Dimensions of body: W 130 mm x H 290 mm x D 50 mm.
- The pedestals are made of 42.4 mm stainless steel, ground. Invisible cable routing through the columns.

Important information

Camera or intercom preparation

We recommend that the electrical installation is always done by an electrician.

We offer preparation of cameras & intercoms from various manufacturers for our mailboxes. The preparation does not include terminal equipment, it is the provision of the screw mounts, holes & perforations. So that you can mount your terminal device without any problems.

Water protection

In order to achieve optimal water protection for your mail, the mailbox or mailbox system should be located under a canopy if possible.

Abmessungen & Details

Number of parties:	1
Base material:	Stainless steel
Height in cm:	32,0
Width in cm:	16,0
Overall height in cm:	120,0 150,0
Total width in cm:	29,0
Depth in cm:	6,0
Weight in kg:	14,0
Delivery condition:	Delivery is in blocks, stand elements/bell divided
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).