



Order number: 385P-7016-2-SP


Manufacturer: Briefkasten Manufaktur Lippe

ab **€883.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



Montagebohrungen



2-compartment Letterbox system freestanding design BASIC 385P-7016-SP with bell function box - RAL 7016 anthracite gray

Modern free-standing letterbox for 2 parties made in Germany by Briefkasten Manufaktur.

The mailboxes are made of galvanized steel, powder coated in RAL 7016 anthracite gray, the stand elements are made of anodized aluminum profile, powder coated in RAL 7016 anthracite gray and are solidly manufactured and at the same time very elegant. A close-fitting side panel with rain cover and the rain drainage channels for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable name plate and the robust lock distinguish this free-standing letterbox. This mailbox is easy to clean and insensitive.

Thanks to the construction method, self-assembly is uncomplicated.

- **2-compartment free-standing letterbox completely powder-coated in RAL 7016 anthracite gray fine structure matt**
- The system is created at the letterbox manufactory. German quality production "Made in Germany".
- The mailboxes are made of galvanized steel, powder painted in RAL 7016 anthracite-gray fine structure matt and comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, here fit even large letters without bending.
- Insertion flaps with noise-damping rubber lip for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and change name plate under the access flap per mailbox.
- Incl. close-fitting side panel + rain roof made of stainless steel V2A, powder coated in RAL 7016 anthracite gray fine structure matt.
- **Bell functional box made of galvanized steel, powder coated in anthracite gray RAL 7016**
- Intercom perforation with universal adapter. (Intercom system/built-in speaker not included).
- Universal adapter is suitable for all commercially available built-in speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism - The nameplate is dent-proof and impact-resistant, the plastic is flame-retardant.
- The stand elements are made of aluminum profile, powder coated in anthracite gray RAL 7016 fine structure, matt for screw mounting or for setting in concrete.

Important information:

Mail is only protected from moisture and dirt when fully inserted and the flap is closed. In certain extreme weather conditions, water can still enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

Abmessungen & Details

Number of parties:	2
Item withdrawal:	Front
Base material:	Steel galvanized, Aluminum
Height single box in cm:	11,0
Width single box in cm:	30,0
Volume single box in liters:	12,0
Height letter slot in cm:	3,5
Width letter slot in cm:	26,5
Overall height in cm:	120,0 160,0
Total width in cm:	40,0
Depth in cm:	43,5
Weight in kg:	33,0
Delivery condition:	Delivery is made in blocks, stand elements / letterbox divided
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).