

ab **€3,868.00** \*


incl. VAT  $\underline{\text{plus shipping costs}}$  (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)
















# 5-compartment Stainless steel free-standing letterbox Design BASIC Plus 385X220 ST-P - GIRA System 106 - 5-compartment prepared

Modern free-standing letterbox for 5 parties made in Germany by Briefkasten Manufaktur.

The 5-compartment letterbox system with bell pillar is made entirely of stainless steel V2A, ground. The preparation is intended for 5 pieces GIRA 106 system modules. The modules can be used flush with the surface thanks to the simple holding system (surface-mounted housing 5505910 required!).

The very high quality workmanship and the sophisticated concept make this mailbox system our top seller. A rain drainage edge for optimal water protection, an insertion flap with rubber lip, the solid changeable name plate and the robust lock characterize this free-standing letterbox. This mailbox is easy to clean and insensitive.

Thanks to the construction method, self-assembly is uncomplicated.

- 5-compartment free-standing letterbox made of stainless steel V2A, ground
- The system is created at the letterbox manufactory. German quality production "Made in Germany".
- The mailboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, here fit even large letters without bending.
- Insertion flaps with noise-damping rubber lip for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and change name plate under the access flap per mailbox.
- Incl. close-fitting side panel + rain cover made of stainless steel V2A.
- The stand element consists of W 20 mm x D 100 mm stainless steel V2A 1.4301, ground for screw mounting.
- Bell pillar made of 1.5 mm stainless steel V2A 1.4301, 240 grain ground.
- The speaking part is made of 2mm stainless steel V2A 1.4301, 240 grain polished. Dimensions: W 190 mm x H 640 mm x D 110 mm.
- Incl. 6x screws cover caps made of stainless steel V2A, ground, so that the screws for fixing the front panel are not visible. See pictures.
- The fully welded standing column is made of 1.5mm stainless steel V2A 1.4301, ground.
- The pillar is equipped with a base plate made of VA. This is 10 mm thick and is finished with a cover plate. See pictures.
- Invisible cable feed through the body possible.
- WITHOUT GIRA system components!

### Important information

## Camera or intercom preparation

Intercom systems must be connected by an electrician. Contact your trusted electrician for planning, mounting and installation.

## Water protection

In order to achieve optimum water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water when it is completely inserted in the box and the insertion flap is closed. Mail that is not completely inserted allows moisture and dirt to enter the mailbox. Therefore, it is necessary to plan sufficiently sized mailboxes for the upcoming needs. In certain extreme weather conditions, water can still enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

### **Abmessungen & Details**

| Number of parties:             | 5  |
|--------------------------------|--|
| Item withdrawal:               | Front  |
| Base material:                 | Stainless steel  |
| Height single box in cm:       | 22,0   |
| Width single box in cm:        | 30,0   |
| Volume single box in liters:   | 25,0   |
| Height letter slot in cm:      | 3,5  |
| Width letter slot in cm:       | 26,5   |
| Height letterbox system in cm: | 110,0  |
| Width letterbox system in cm:  | 30,0   |
| Overall height in cm:          | 160,0  |
| Total width in cm:             | 58,0   |
| Depth in cm:                   | 43,5   |
| Weight in kg:                  | 81,0   |
| Delivery condition:            | Delivery is made in blocks, stand elements / letterbox divided   |
| Shipping information:          | Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date. |