




Order number: 382XAZ-2-SP-R

Manufacturer: Briefkasten Manufaktur Lippe

ab **€1,029.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users
with VAT ID and Non-EU countries)



2-compartment Stainless steel fence mailbox BASIC Plus 382XZ with bell box on the side - RAL of your choice

High quality manufactured fence mailbox from the Mailbox Manufacture. The insertion is made on the front side, the residents can remove the mail from the back side. The mounting of the mailbox can be done via the optional rod mat mounting in your fence, if this is not chosen, the mailbox should be fitted and perforated on site by your fence builder. The complete 2-compartment fence mailbox is made of weather-resistant stainless steel V2A, powder coated in RAL of your choice. A rain drainage edge for optimum water protection, an insertion flap with rubber buffer, the solid changeable name plate, a practical mail holding bracket and the very robust lock are the distinguishing features of this stainless steel mailbox.

The letterboxes of the BASIC Plus collection are characterized by the consistent use of stainless steel V2A. The result is a very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility or modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus units.

• 2-compartment Fence mailbox made of high-quality, weather-resistant stainless steel V2 A 1.4301, powder-coated in RAL of your choice

- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 crosswise, large letters also fit in here without bending.
- Insertion flap with noise-dampening rubber buffers for very quiet insertion of mail.
- The door opens from left to right.
- The insertion is from the front, the removal from behind.
- Incl. 2 keys with key number, changeable name plate under the insertion flap and mail holding bracket.
- **Bell box made of stainless steel V2A 1.4301, powder coated in RAL color**
- Speech perforation with universal adapter. (Intercom system / built-in loudspeaker not included). Optionally also available without speech perforation.
- Universal adapter is suitable for all commercially available built-in speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism - the nameplate is dent-proof and impact-resistant, the plastic is flame-retardant.
- Incl. close-fitting side cover+rain cover made of stainless steel V2A, powder-coated.
- Suitable for fence mounting, the mounting hole must be made on site. Optionally with bar mat holder.

Important information:

Mail is protected from moisture and dirt only when fully inserted and flap closed. In certain extreme weather conditions, water may nevertheless enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

Abmessungen & Details

Number of parties:	2
Item withdrawal:	Back
Base material:	Stainless steel
Height single box in cm:	33,0
Width single box in cm:	35,5
Volume single box in liters:	12,0
Height letter slot in cm:	3,5
Width letter slot in cm:	32,5
Height letterbox system in cm:	33,0
Width letterbox system in cm:	88,0
Depth in cm:	10.0 + 2.4 Rain roof
Weight in kg:	16,0
Delivery condition:	Plant is delivered pre-assembled/partially disassembled
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).