

Order number: 529SST-VA-KSDB1100-1
Manufacturer: Briefkasten Manufaktur Lippe

ab **€1,345.00 ***

incl. VAT plus shipping costs (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



7
Familie Woineck



Familie Woineck


7







3G/4G/5G
WiFi






7
Zeile 1
Zeile 2
Familie
Woineck


~ 365 mm
~ 365 mm
Fussplatte entfällt bei Montageart zum Einbetonieren
MONTAGEHILFE

Stainless steel video pillar DESIGNER 529S ST-R Elegance I with DoorBird D1100E - polished stainless steel

This simple and at the same time elegant doorbell stele with DoorBird camera D1100E. The front panel made of stainless steel V2A 1.4301, 240 grain ground is placed on a 5mm stainless steel frame and stands out slightly in this respect from the stand elements made of stainless steel ground. Integrated DoorBird IP video door station D1100E. The DoorBird IP Video Door Station D1100E is the smart solution for your entrance door. The IP Video Door Station can be operated as a stand-alone unit or integrated into an existing smart home platform. Even existing, classic installations such as a door chime or an electric door and gate opener can continue to be used with DoorBird and controlled via the app using a smartphone and tablet.
Our products have a high value, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301, 240 grain ground.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Dimensions of doorbell plate W 160 mm x H 320 mm x D 8 mm.
- Dimensions of installation box: W 130 mm x H 290 mm x D 50 mm
- The stand columns are made of 42.4 mm stainless steel, ground. Invisible cable routing through the columns.
- DoorBird IP video door station D1100E and call button (small D11X) installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Contact your trusted electrician for planning, mounting and installation.

Water protection

For optimum water protection, the door station should be located under a canopy if possible.

Abmessungen & Details

Number of parties:	1
Base material:	Stainless steel
Connection technology:	LAN, WLAN
Number of bell buttons:	1
Height in cm:	29,0 | 32,0
Width in cm:	13,0 | 16,0
Overall height in cm:	120.0 | 150.0 | 170.0 (recommended camera height 140.0 -160.0)
Total width in cm:	29,0
Depth in cm:	5,2
Weight in kg:	4,0
Delivery condition:	Delivery is made in blocks, stand elements/door station divided
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).