






**Order number:** 529S-E-KSCSWIFI-1

**Manufacturer:** Briefkasten Manufaktur Lippe

ab **€642.00 \***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users  
with VAT ID and Non-EU countries)



## Stainless steel video door station DESIGNER 529S Elegance I - RAL at choice - Comelit VIDEO Complete kit

This simple and at the same time elegant doorbell plate fits seamlessly into the house facade. The front panel made of stainless steel V2A 1.4301 in your desired color is placed on a 5mm stainless steel frame and stands out slightly from the house wall in this respect. The Comelit video intercom is an innovative solution with features such as facial recognition, voice commands and operation via app with your smartphone. Completely pre-programmed for easy installation - connect 2 wires and DONE! Optionally with gateway without home station or with WiFi home station.

Our products have high value, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- **EU compliant: COMELIT as a guarantee for your data** - the cloud server infrastructure is owned by COMELIT and located in Europe (in Frankfurt, one of the most important financial centers in Europe and a major location for the data center industry) and managed in partnership with the most important cloud provider in the world: Amazon AWS (Amazon Web Services).
- Front panel powder coated in RAL color of choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain ground.
- Dimensions of bell plate W 160 mm x H 320 mm x D 8 mm.
- Dimensions of installation box: W 130 mm x H 290 mm x D 50 mm
- Optionally for flush mounting or surface mounting.
- 8-12V DC short-stroke bell pushbutton with LED ring illumination in white.
- Optionally with name inscription approx. 10-20mm high.
- Optionally with house number inscription approx. 60-80mm high.

### Important information

#### Camera or intercom preparation

The intercom systems are to be connected by an electrician. Contact your trusted electrician for planning, mounting and installation.

#### Water protection

For optimum water protection, the door station should be located under a canopy if possible.

### Abmessungen & Details

Number of parties:	1
Base material:	Stainless steel
Connection technology:	2-wire bus technology
Number of bell buttons:	1
Height in cm:	29,0   32,0
Width in cm:	13,0   16,0
Depth in cm:	5,2
Weight in kg:	4,0
Delivery condition:	Delivery is assembled
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).