





Order number: 381X-E-KSDB1100-1-100

Manufacturer: Briefkasten Manufaktur Lippe

ab **€1,649.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users
with VAT ID and Non-EU countries)



Stainless steel mailbox freestanding BASIC Plus 381X ST-R Elegance with camera DoorBird D1100E - RAL of your choice

Modern free-standing letterbox with wifi-enabled video intercom DoorBird D1100E - made in Germany by Briefkasten Manufaktur. The free-standing letterbox is made of stainless steel V2A 1.4301, powder coated in RAL color, the stand elements are made of stainless steel V2A 1.4301, ground. The very high quality workmanship and the sophisticated concept make this free-standing letterbox our top seller. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable name plate, a practical mail holding bracket and the very robust lock distinguish this free-standing letterbox. The side panel and the rain cover are made of stainless steel V2A and thus guarantees a very high durability. Integrated DoorBird IP Video Door Station D1100E. The DoorBird IP Video Door Station D1100E is the smart solution for your entrance door. The IP Video Door Station can be operated as a standalone unit or integrated into an existing smart home platform. Even existing, classic installations such as a door chime or an electric door and gate opener can continue to be used with DoorBird and controlled via the app using a smartphone and tablet.

The letterbox systems of the BASIC Plus collection are characterized by the consistent use of stainless steel V2A. The result is a very high durability and sustainability. The design has been developed by our own engineers with regard to high flexibility or modularity, easy spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

• free-standing letterbox with letterbox made of stainless steel V2A 1.4301, powder coated in RAL color

- The system is made at the Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 crosswise, here fit even large letters without bending.
- Insertion flap with noise-damping rubber seal for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number, 2-piece flush removable nameplate under the access flap and mail retaining bracket.
- Large capacity due to optional mailbox depth +50 mm = approx. 17 l. Suitable for companies and households with very large mail volume.

• Bell box made of stainless steel V2A, powder coated in RAL color of your choice

- Optional high quality stainless steel laser inscription. House number approx 80-100mm height & name inscription approx 15-25mm height.
- Side panel and rain roof made of stainless steel V2A, powder coated in RAL color.
- The stand elements are made of 42.4mm stainless steel V2A 1.4301, ground for screw mounting or for setting in concrete.
- DoorBird IP video door station D1100E and call button (D11X) installed.

Important information

Camera or intercom preparation

Intercom systems must be connected by an electrician. Contact your trusted electrician for planning, mounting and installation.

Water protection

Mail is protected from moisture and contamination only when it is fully inserted and the flap is closed. In certain extreme weather conditions, water may nevertheless enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

Abmessungen & Details

| | |
|--------------------------------|--|
| Number of parties: | 1 |
| Item withdrawal: | Front |
| Base material: | Stainless steel |
| Connection technology: | LAN, WLAN |
| Height single box in cm: | 33,0 |
| Width single box in cm: | 35,5 |
| Volume single box in liters: | 12,0 17,0 |
| Height letter slot in cm: | 3,5 |
| Width letter slot in cm: | 32,5 |
| Height letterbox system in cm: | 66,0 |
| Width letterbox system in cm: | 35,5 |
| Overall height in cm: | 120.0 150.0 (recommended camera height 140.0 - 160.0cm) |
| Total width in cm: | 53,5 |
| Depth in cm: | 10,0 15,0 |
| Weight in kg: | 18,0 |
| Delivery condition: | Delivery is made in blocks, stand elements / letterbox divided |

Shipping information: Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).