



Datasheet for 2-compartment Mailbox stele BASIC Plus 864X with parcel shelf 550x370 - RAL of your choice

Order number: 864X-2 Manufacturer: Briefkasten Manufaktur Lippe

## ab **€3,081.00** \*

incl. VAT <u>plus shipping costs</u> (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)

Briefkasten Manufaktur® Lippe GmbH



## 2-compartment Letterbox pillar BASIC Plus 864X with parcel box - RAL of your choice

Modern 2 party mailbox column including parcel box - made in Germany by Briefkasten Manufaktur.

The mailbox column is made entirely of stainless steel V2A and aluminum, powder coated in RAL color. The very high quality workmanship and the sophisticated concept make this mailbox column our top seller. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable name plate and the very robust lock distinguish this mailbox column. The 6mm thick side panel with protruding rain cover made of aluminum offers optimal protection against the weather and guarantees a very high durability.

Parcel reception independent of the delivery person! Every parcel delivery service (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel mailbox.

The letterboxes of the BASIC Plus collection are characterized by the consistent use of stainless steel V2A and aluminum. The result is a very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility or modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

• 2 compartment Mailbox column with package compartment made of stainless steel V2A 1.4301 and aluminum, powder coated in RAL color.

• The complete mailbox column is designed in modular construction, therefore each component can be exchanged or changed at any time.

• Parcel locker 370x550x385 mm (WHT) incl. parcel lock with snap-in lock. With high-quality stainless steel laser inscription "PAKET".

• Volume parcel compartment: 77 liters, Max. Package size: 340 x 520 x 355 mm (WHT).

• Letterboxes 370x110x385 mm (WHT). Removal from the front, the removal door opens from left to right.

• C4 letterbox from the front, large letters can be inserted without bending. Insertion flap with rubber lip.

• DIN EN 13724 compliant.

• Including 2 keys with key number per individual box and changeable name plate (type 2) under the access flap (without inscription).

• Optional high quality stainless steel laser inscription. House number approx. 60-80mm height & street name or lettering approx.

25-40mm height.

• Screwed back wall made of 2mm stainless steel V2A 1.4301, powder coated.

• Side panel and rain roof made of 6mm aluminum, powder coated.

• The stele is equipped with internal base plates made of 6mm aluminum. Thus, the mounting dowels (not included, see accessories) for screw mounting are concealed.

## Important information:

Mail is only protected from moisture and dirt when fully inserted and the flap is closed. In certain extreme weather conditions, water may nevertheless enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

## Abmessungen & Details

2
Front
Stainless steel, Aluminum
BK 11.0   PK 55.0
37,0
BK 16.0   PK 77.0
3,5
32,5
160,6
38,2
41.4 + 1.6 Rain roof
58,0
Delivery is assembled
Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.