




Order number: 863-A-2-SP-7016


Manufacturer: Briefkasten Manufaktur Lippe

ab **€1,599.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



Funktionsprinzip des Paketschlusses: Fachbelegung



2-part wall-mounted package letter box Basic 863 AP with bell box & package parts 550x370 in RAL 7016 anthracite gray

Delivery-independent package reception! Each parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, or similar) can use this package letter box. Sample garage contracts included!

The mailboxes consist of galvanized steel, powdered in anthracite gray RAL 7016. The very high-quality workmanship and the well thought-out concept make this mailbox system our top seller. A rain drain edge for optimal water protection, a throw-in flap with a rubber lip, the solid changing name shield and the robust door lock characterized this mailbox free-standing. This mailbox is easy to care for and insensitive.

Thanks to the construction method, self-assembly is uncomplicated.

• 2-part package letter box/mailbox system made of galvanized sheet steel, powder-coated in RAL 7016 anthracite gray fine structure matt

- Package part 370x550x380 mm (BHT) including package lock with snap lock.
- Volume package-part: 77 liters, max. Package size: 340 x 520 x 350 mm (BHT).
- parcel kast door with three-point lock including a door reinforcement.
- door including engraving with stainless steel, text: "package" vertically aligned, height lettering approx. 250 mm.
- with horizontal mailboxes (BHT 370x110x380mm). Removing from the front, the removal doors are to be opened from left to right.
- DIN EN 13724 conformed.
- Einwuf C4 across from the front, here even large letters fit in without kinking. Flap with noise-absorbing rubber seal.
- with name tag and 2 keys per single letter box.
- The labeling of the name tag can be exchanged as desired.
- tight-fitting side panel + rain roof made of 2 mm stainless steel V2A 1.4301, powdered. With integrated rain edge over the front, roofed sheet over side sheets.
- **bell box for 2 rental parties made of stainless steel, powder-coated in RAL 7016 anthracite gray**
- speech hole with universal adapter. (Exchange control system/installation speaker not included). Optionally also without speech holder.
- universal adapter is suitable for all commercially available installation speakers (Siedle, Ritto, TCS, Busch-Jäger, GIRA, Legrand Bticino, Elcom, Auerswald, Comelit and much more).
- 2x round stainless steel bell button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure limit).
- antivandalism- the name tags are impressive and impact-resistant, the plastic is flame retardant.

important information

camera or voice center preparation

The speaking systems are to be connected by an electrical installer. Contact the electrical installer you trust in the planning, installation and installation.

water protection

The post is only protected from moisture and pollution when the flap is completely thrown and closed. In certain extreme weather conditions, water can still occur (according to DIN EN 13724 to 1cm). This is not a reason for complaint.

Abmessungen & Details

Number of parties:	2
Item withdrawal:	Front
Base material:	Stainless steel, Steel galvanized
Height single box in cm:	BK 11.0 PK 55.0
Width single box in cm:	BK 37.0 PK 37.0
Volume single box in liters:	BK 15.0 PK 77.0
Height letter slot in cm:	3,5
Width letter slot in cm:	32,5
Height letterbox system in cm:	88,7
Width letterbox system in cm:	38,0
Depth in cm:	39,0
Weight in kg:	35,0
Delivery condition:	Delivery is made in blocks, stand elements / letterbox divided
Shipping information:	Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.