




**Order number:** 864X2-10-SP

**Manufacturer:** Briefkasten Manufaktur Lippe

ab **€6,851.00 \***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users  
with VAT ID and Non-EU countries)



## 10-compartment Letterbox column BASIC Plus 864X with 2x parcel box 550x370 & bell box (optional camera) - RAL of your choice

Modern 10 party mailbox column including package compartment - made in Germany by Briefkasten Manufaktur.

The mailbox column is made entirely of stainless steel V2A and aluminum, powder coated in RAL color. The very high quality workmanship and the sophisticated concept make this mailbox column our top seller. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable name plate and the very robust lock distinguish this mailbox column. The 6mm thick side panel with protruding rain cover made of aluminum offers optimal protection against the weather and guarantees a very high durability.

Parcel reception independent of the delivery person! Every parcel delivery service (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel mailbox.

The letterboxes of the BASIC Plus collection are characterized by the consistent use of stainless steel V2A and aluminum. The result is a very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility or modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

### • 10 compartment Mailbox column with parcel box made of stainless steel V2A 1.4301 and aluminum, powder-coated in RAL color

- The complete mailbox column is designed in modular construction, therefore each component can be exchanged or changed at any time.
- 2x parcel locker 370x550x385 mm (WHT) incl. parcel lock with snap-in lock. With high-quality stainless steel laser inscription "PAKET".
- Volume parcel compartment: 77 liters, Max. Package size: 340 x 520 x 355 mm (WHT).
- Letterboxes 370x110x385 mm (WHT). Removal from the front, the removal door opens from left to right.
- C4 letterbox from the front, large letters can be inserted without bending. Insertion flap with rubber lip.
- DIN EN 13724 compliant.
- Including 2 keys with key number per individual box and changeable name plate (type 2) under the access flap (without inscription).
- Optional high quality stainless steel laser inscription. House number approx. 60-80mm height & street name or lettering approx. 25-40mm height.
- Screwed back walls made of 2mm stainless steel V2A 1.4301, powder coated.
- Side panel and rain roof made of 6mm stainless steel V2A 1.4301, powder coated.

### • 2x bell box made of stainless steel V2A, powder coated in RAL color

- Speech perforation with universal adapter. (Intercom system / built-in speaker not included). Optionally also without speech perforation.
- Universal adapter is suitable for all commercially available built-in speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism - The nameplate (type 1) is dent-proof and impact-resistant, the plastic is flame-retardant.
- The pillar is equipped with internal base plates made of 6mm stainless steel V2A 1.4301. This conceals the fastening dowels (not included, see accessories) for screw mounting.

### Important information

#### Camera or intercom preparation

The intercom systems must be connected by an electrician. Contact your trusted electrician for planning, mounting and installation.

#### Water protection

Mail is protected from moisture and contamination only when it is fully inserted and the flap is closed. In certain extreme weather conditions, water may nevertheless enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

### Abmessungen & Details

Number of parties:	10
Item withdrawal:	Front
Base material:	Stainless steel, Aluminum
Height single box in cm:	BK 11.0   PK 55.0
Width single box in cm:	37,0
Volume single box in liters:	BK 16.0   PK 77.0
Height letter slot in cm:	3,5
Width letter slot in cm:	32,5
Overall height in cm:	160,0
Total width in cm:	75,5
Depth in cm:	44,0
Weight in kg:	118,0
Delivery condition:	Delivery is assembled
Shipping information:	Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.