



**Order number:** 863X-ST-1-SP-VAR

**Manufacturer:** Briefkasten Manufaktur Lippe

ab **€1,841.00 \***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users  
with VAT ID and Non-EU countries)



## Stainless steel parcel box freestanding BASIC Plus 863X ST-R with bell box & parcel compartment 550x370 - RAL of your choice

The innovative BASIC parcel box with bell box for a bell intercom (optional camera) now completely made of stainless steel in RAL or DB color powder coated and the discreet parcel lock.

Parcel reception independent of the delivery person! Every parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel box. This parcel box is especially suitable for large, but few (usually 1 pcs. per day) parcel shipments.

The parcel box is made of stainless steel V2A 1.4301, powder coated in RAL color, the standing elements are made of stainless steel V2A 1.4301, 240 grain ground. The very high quality workmanship and the sophisticated concept make this mailbox system our top seller. A rain drainage edge for optimal water protection, an insertion flap with rubber lip, the solid changeable name plate and the robust lock distinguish this free-standing letterbox. This mailbox is easy to clean and insensitive.

The letterboxes of the BASIC Plus collection are characterized by the consistent use of stainless steel V2A. The result is a very high durability and sustainability. The design has been developed by our own engineers with a view to high flexibility or modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

### • Parcel post box completely made of stainless steel V2A 1.4301 with body/letterbox/parcel box powder coated in RAL color of your choice

• Parcel box 370x550x385 mm (WHT) incl. parcel lock with snap-in lock. Including stainless steel laser inscription "PAKET".

• Volume parcel compartment: 77 liters, Max. Package size: 340 x 520 x 350 mm (WHT).

• Mailbox 370x110x385 mm (WHT). Removal from the front, the removal door opens from left to right.

• C4 letterbox from the front, large letters can be inserted without bending. Insertion flap with rubber lip.

• DIN EN 13724 compliant.

• Including 2 keys with key number per individual box and changeable name plate (type 2) under the access flap.

• Optional inscription house number approx. 80-100mm height.

• Close-fitting side cladding with integrated rain edge protruding to the front, roof plate folded over side plates made of 2 mm stainless steel V2A 1.4301, powder-coated.

### • Bell box made of stainless steel V2A 1.4301, powder-coated in RAL color of choice

• Speech perforation with universal adapter. (Intercom system/built-in loudspeaker not included in delivery). Optionally also available without speech perforation.

• Universal adapter is suitable for all commercially available built-in speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).

• Round stainless steel bell push type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).

• Anti-vandalism - the nameplate is dent-proof and impact-resistant, the plastic is flame-retardant.

• Cable access: Ø 14.0 mm (lateral right). Invisible cable routing through the stand element.

• The stand elements are made of 60.0 mm stainless steel V2A 1.4301, ground for screw mounting or for setting in concrete.

### Important information:

Mail is only protected from moisture and dirt when fully inserted and the flap is closed. In certain extreme weather conditions, water may nevertheless enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

## Abmessungen & Details

Number of parties:	1
Item withdrawal:	Front
Base material:	Stainless steel
Height single box in cm:	BK 11.0   PK 55.0
Width single box in cm:	BK 37.0   PK 37.0
Volume single box in liters:	BK 15.0   PK 77.0
Height letter slot in cm:	3,5
Width letter slot in cm:	32,5
Height letterbox system in cm:	77,7
Width letterbox system in cm:	38,0
Overall height in cm:	120,0   150,0   170,0
Total width in cm:	53,0
Depth in cm:	39,0
Weight in kg:	38,0
Delivery condition:	Delivery is made in blocks, stand elements / letterbox divided
Shipping information:	Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.