



Order number: 601KL-R-IND-160-R

Note: After your order, you will receive a design drawing by email as a PDF to realize your wishes even to the last detail. Here, your wishes will be addressed in detail.

Manufacturer: Briefkasten Manufaktur Lippe

ab **€2,141.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



Stainless steel bell pillar designer EDGE - RAL of your choice - INDIVIDUAL

High-quality manufactured bell pillar of the brand Briefkasten Manufaktur with frontal door communication and lateral inscription, illuminated. Clear line, straightforward design and high quality materials characterize the 2mm stainless steel bell pillar of the DESIGNER collection. The bell pillar is welded by hand, so that no screw connections, hairline joints or gaps are visible in the area of the body. The rear revision door allows easy installation, as well as subsequent work for example repairs or for regular inspection, without any problems. Equipped with a high-quality lock, the inspection door is protected against vandalism.

Influenced by the idea of sustainability, this column was developed with a replaceable panel. All components can be replaced at any time, whether a new video intercom system, a new house number or a change of lettering, all components can be easily exchanged.

- Bell pedestal with frontal door communication and side lettering, illuminated made of 2mm stainless steel V2A 1.4301, powder coated in RAL color.
- Quality production - Made in Germany - Letterbox Manufaktur Lippe.
- Rear inspection flap W 250 mm x H 700 mm incl. 2 keys.
- 8-12V DC short stroke bell push button with LED ring illumination (blue, white, red or green).
- Optional 8-12V DC short travel light pushbutton with pictogram.
- Optional replaceable nameplate made of stainless steel with laser inscription or nameplate made of plexi.
- Preparation (built-in speaker not included) for intercom possible.
- Optional universal adapter for all commercially available built-in speakers.
- Optional preparation (camera not included) for a camera.
- House number and name or street inscription, backlit in white incl. EVN LED power supply / transformer IP65 12V/DC 0.1-4W for LED lighting.
- We will map house numbers over 2 digits below each other, otherwise the height is not sufficient.
- **Other built-in modules are possible on request (door opener switch, key switch, RFID modules and more).**
- The fully welded doorbell pedestal is made of 2mm stainless steel V2A 1.4301, powder coated. Construction height is 1.80 m | 1.60 m | 1.30 m.
- The pillar is equipped with a base plate made of VA. This is 10 mm thick and is finished with a cover plate. See pictures.
- Invisible cable feed through the body possible.

[Now also available individually in the 3D configurator! Configure individual bell pillars and bell columns and try them out via AR directly in front of the front door.](#)

Important information

Camera or intercom preparation

We recommend that the electrical installation is always carried out by an electrician.

We offer preparation of cameras & intercoms from various manufacturers for our mailboxes. The preparation does not include terminal equipment, it is the provision of the screw mounts, holes & perforations. So that you can mount your terminal device without any problems.

Water protection

In order to achieve optimal water protection, if possible the bell system should be located under a canopy.

Abmessungen & Details

Number of parties:	1
Base material:	Stainless steel
Overall height in cm:	130,0 160,0 180,0
Total width in cm:	29.0 (footplate 39.5)
Depth in cm:	18.2 (footplate 28.7)
Weight in kg:	45,0
Delivery condition:	Delivery is assembled
Shipping information:	Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.