



**Order number:** 385XW-PK550-1S

**Manufacturer:** Briefkasten Manufaktur Lippe

ab **€1,247.00 \***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



## Stainless steel parcel post box Design BASIC Plus 385XW with parcel compartment 550x300 for lateral wall mounting - RAL of your choice

Modern stainless steel mailbox system with parcel compartment for side wall mounting - made in Germany by Briefkasten Manufaktur.

Package reception independent of the delivery person! Every parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel box. This parcel box is especially suitable for large, but few (usually 1 pcs. per day) parcel shipments.

The mailbox is made of stainless steel V2A 1.4301, powder coated in RAL color, the fastening elements are made of weatherproof stainless steel V2A 1.4301, 240 grain ground. The very high quality workmanship and the well thought-out concept make this mailbox system our top seller. A rain drainage edge for optimal water protection, an insertion flap with rubber lip, the solid changeable name plate and the robust lock characterize this free-standing letterbox. This letterbox is easy to clean and insensitive. The letterboxes of the BASIC Plus collection are characterized by the consistent use of stainless steel V2A. The result is a very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility resp. modularity, easy spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Letterbox made of stainless steel V2A 1.4301 for side wall mounting.
- The system is created at the letterbox manufactory. German quality production "Made in Germany".
- Parcel locker 300x550x385 mm (WHT) incl. parcel lock with snap-in lock. Including stainless steel laser inscription "PAKET".
- The letterbox made of stainless steel V2A 1.4301, powder coated in RAL/DB color complies with DIN/EN 13724. Insert size (3.5 cm x 26.5 cm) for C4 high, here fit even large letters without bending.
- Insertion flaps with noise-damping rubber lip for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number and change name plate under the access flap.
- Incl. close-fitting side panel + rain cover made of stainless steel V2A 1.4301, powder-coated in RAL color.
- Optional house number inscription, lasered approx. 100-150mm high.
- The mounting columns are made of 60.3mm stainless steel V2A 1.4301, 240 grain ground for screw mounting on the house wall.

### Important information:

The mail is protected from moisture and dirt only when fully inserted and the flap is closed. In certain extreme weather conditions, water can still enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

**Side installations must ideally be mounted with bolt anchors, these are not included in the scope of delivery! The bolt anchors or hanger bolts should be selected by the installer according to the wall conditions.**

### Abmessungen & Details

Number of parties:	1
Item withdrawal:	Front
Base material:	Stainless steel
Height single box in cm:	BK 11.0   PK 55.0
Height in cm:	82,0
Width single box in cm:	30,0
Volume single box in liters:	BK 12.0   PK 62.0
Height letter slot in cm:	3,5
Width letter slot in cm:	26,5
Height letterbox system in cm:	66,0
Width letterbox system in cm:	30,0
Total width in cm:	40,0
Depth in cm:	43,5
Weight in kg:	21,0
Delivery condition:	Delivery is made in blocks, stand elements / letterbox divided
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).