




Order number: 601KL-R-V-5XGI106-160-R

Manufacturer: Briefkasten Manufaktur Lippe

ab **€2,131.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users
with VAT ID and Non-EU countries)



Stainless steel bell pillar Designer EDGE - RAL at choice - GIRA System 106 - 5-fach prepared

High-quality manufactured bell pillar of the brand Briefkasten Manufaktur with frontal door communication and side lettering, illuminated. Clear line, no-frills design and high-quality materials characterize the 2mm stainless steel bell pillar of the DESIGNER collection. The bell pillar is welded by hand, so that no screw connections, hairline joints or gaps are visible in the area of the body. The rear revision door allows easy installation, as well as subsequent work for example repairs or for regular inspection, without any problems. Equipped with a high-quality lock, the inspection door is protected against vandalism. The Gira System 106 can be used seamlessly in the flush-mounted design. The preparation is intended for 5 pieces GIRA 106 system modules. The modules can be used flush with the surface thanks to the simple holding system (surface-mounted housing 5505910 required!). Influenced by the idea of sustainability, this column was developed with an exchangeable cover. All components can be replaced at any time, whether a new video intercom system, a new house number or a change of lettering, all components can be easily exchanged.

- Bell pedestal with frontal door communication and side lettering, illuminated made of 2mm stainless steel V2A 1.4301, powder coated in RAL color.
- Quality production - Made in Germany - Letterbox Manufaktur Lippe.
- Rear inspection flap W 250 mm x H 700 mm incl. 2 keys.
- House number and name or street inscription, backlit in white incl. EVN LED power supply / transformer IP65 12V/DC 0.1-4W for LED lighting.
- We will map house numbers over 2 digits below each other, otherwise the height is not sufficient.
- The fully welded doorbell steel is made of 2mm stainless steel V2A 1.4301, powder coated. Construction height is 1,80 m | 1,60 m | 1,30 m.
- The pillar is equipped with a base plate made of VA. This is 10 mm thick and is finished with a cover plate. See pictures.
- Invisible cable feed through the body possible.
- **WITHOUT GIRA system components!**

[Now also available individually in the 3D configurator! Configure individual bell pillars and bell columns and try them out via AR directly in front of the front door.](#)

Important information

Camera or intercom preparation

Intercom systems must be connected by an electrician. Contact your trusted electrician for planning, installation and setup.

Water protection

In order to achieve optimum water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water when it is completely inserted in the box and the insertion flap is closed. Mail that is not completely inserted allows moisture and dirt to enter the mailbox. Therefore, it is necessary to plan sufficiently sized mailboxes for the upcoming needs. In certain extreme weather conditions, water can still enter (according to DIN EN 13724 up to 1ccm). This is not a reason for complaint.

Abmessungen & Details

Number of parties:	1
Base material:	Stainless steel
Connection technology:	2-wire bus technology
Overall height in cm:	130,0 160,0 180,0
Total width in cm:	29.0 (footplate 39.5)
Depth in cm:	18.2 (footplate 28.7)
Weight in kg:	45,0
Delivery condition:	Delivery is assembled
Shipping information:	Delivery by forwarding agent on one-way pallet. Before delivery, the forwarding agent will contact you by phone to arrange the date.