



Order number: 515BR

Note: After your order, you will receive a design drawing by email as a PDF to realize your wishes even to the last detail. Here, your wishes will be addressed in detail.


Manufacturer: Briefkasten Manufaktur Lippe

ab **€889.00 ***

incl. VAT [plus shipping costs](#) (exclusive of VAT for logged-in users with VAT ID and Non-EU countries)



Eingebaute Dämpfungselemente lassen die Einwurfsklappe langsam und leise schließen



Stainless steel fence letter box Designer Model BIG - Clean Edition - INDIVIDUAL

High quality stainless steel briefing box of the brand Briefkasten Manufaktur in the extra large format. A real eye-catcher among the mailboxes. Clear lines and straightforward design are characterized by the designer mailbox. The throw-in is on the front, residents can remove the post on the back. Our products have a high value, reliable functionality and their own identity. Made by mailbox manufactory.

- Designer stainless steel fence letter box made of 2 mm stainless steel V2A.
- Rest-sized post-removal door 240 mm x 300 mm, to open from top to bottom. Including 2 key with key number.
- Settling from the front, dimensions of the insertion: W 35 cm x H 6.3 cm, C4 across. Very large letters fit here without kinking. Attention no withdrawal protection!
- **from now on with built-in damping elements, which let the throw-in flap slowly and quietly close.**
- optionally interchangeable name tag made of stainless steel with laser lettering or name tag made of plexiglass.
- 8-12V DC Kurzhub bell button with LED ring lighting (blue, white, red or green). The lighting of the bell button cannot be supplied by the control unit. It must be connected to an additional power supply.
- Optional is an 8-12V DC short-lived light button with pictogram.
- Preparation (installation speaker not included) for intercom.
- Optional with universal adapter for all commercially available installation speakers.
- Optional preparation (not included in the scope of delivery) for a camera.
- Optional house number approx. 70mm high (max. 3 digits) with power-saving LED lighting 12V DC approx. 50mA / 1W, white. Incl. EVN LED power supply/Trafo IP65 12V/DC 0.1-4W for the LED lighting (house number, bell button and name tag if chosen).
- Dimensions wall-mounted box: H 710 mm x W 410 x D 100 without perforation. The perforation for fastening must be done on site.
- Wall-assembled box made of stainless steel V2A, ground on all sides.

camera or voice center preparation

We always recommend the electrical installation to be carried out by an electrical installer.

We offer the preparation of cameras & speakers from different manufacturers for our mailboxes. The preparation does not contain any end devices, which are the provision of the screw recordings, bores and perforations. So that you can easily install your device.

water protection

In order to achieve optimal water protection of your post, the mailbox or the mailbox system should be under a canopy if possible. The post office is only protected from water if it is completely stored in the box and the throw-in flap is closed. Unskinned mail enables the penetration of moisture and dirt into the mailbox. It is therefore necessary to plan sufficiently dimensioned mailboxes for the upcoming need. In certain extreme weather conditions, water can still occur (according to DIN EN 13724 to 1ccm). This is not a reason for complaint.

Abmessungen & Details

Number of parties:	1
Item withdrawal:	Back
Base material:	Stainless steel
Height single box in cm:	71,0 75,0
Width single box in cm:	41,0 45,0
Volume single box in liters:	21,0
Height letter slot in cm:	6,3
Width letter slot in cm:	35,0
Depth in cm:	10,0
Weight in kg:	32,0
Delivery condition:	Delivery is assembled
Shipping information:	Depending on the order volume, delivery is made by parcel shipment or bulky goods shipment. Partial deliveries are possible for products that can be disassembled (e.g., for floor-standing mailboxes, the stand & box can be shipped separately).