8-unit stainless steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Right | with 8 mailboxes



Product number 385XW-8S-R

Product description

Side-mounted BASIC Plus 385XW mailbox system for 8 units – box position right

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 8 units. It has been developed for larger apartment buildings and commercially used properties and allows space-saving installation to the side of the entrance or on a suitable wall surface.

Eight mail compartments are combined in a consistently vertical design. This keeps the system comparatively narrow despite the high number of users.

The mailboxes are made from stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. The side fixing is achieved via 60.3 mm thick stainless steel posts with a 240-grit brushed finish.

In this product variant the box position is on the right. The lateral arrangement creates a clear mounting edge and allows the mailbox system to be aligned with the structural situation at the entrance.

The advantages of the BASIC Plus 385XW at a glance

Massive stainless steel fixing posts

The side wall fixing is carried out using Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They provide a stable and durable connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to the side of a suitable external wall. The box position of this variant is on the right; this allows the system to be tailored to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fixing elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

DIN C4 insertion aperture with rubber lip

Each compartment has an insertion aperture of 35 × 265 mm suitable for DIN C4 portrait. A noise-dampening rubber lip reduces the impact of the flap.

Robust solution for 8 units

Eight households benefit from a robust, low-maintenance system that requires little wall width. The modular BASIC Plus construction also facilitates maintenance and spare-part installation.

Equipment of the BASIC Plus 385XW for 8 units

Mailbox system

Number of compartments 8 mailboxes
Arrangement 1 column × 8 rows
Material Stainless steel V2A 1.4301
Surface Powder-coated in RAL/DB colour of choice
Rain hood / side cladding Stainless steel V2A 1.4301, powder-coated in matching colour
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Insertion aperture 35 × 265 mm per mailbox, suitable for DIN C4 portrait
Mail volume Approx. 12 litres per mailbox
Drop flaps With noise-dampening rubber lip
Mail removal Front-facing
Door opening From left to right
Keys 16 keys in total, 2 per mailbox
Nameplates 8 replaceable nameplates under the insertion flaps

Side fixing

Box position Right
Fixing posts Ø 60.3 mm stainless steel V2A 1.4301
Post surface 240-grit brushed finish
Mounting method Screw fixing to a suitable external wall
Fixings Select anchor bolts or threaded rods on site to suit the wall
Standard Mailboxes in accordance with DIN EN 13724

Note on side wall mounting

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or threaded rods are not included and must be selected to suit the wall construction, system weight and local mounting situation.

Note on weather protection

Mail items must be fully inserted to allow the flap to close. The insertion front should preferably not face the prevailing weather. Under extreme weather conditions, moisture may ingress despite norm-compliant execution.

Care and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and reliable spare-part supply.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	1040
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	45
Delivery condition	Delivery is made in blocks, stand elements / mailbox divided


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618