7-unit freestanding mailbox system Design BASIC 385 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 7 mailboxes



Product number 385-7016-7S

Product description

Freestanding 7-unit mailbox system BASIC 385 for 7 households – narrow, vertically oriented version – RAL 7016 Anthracite grey

For multi-family houses, residential complexes and commercially used properties, the freestanding BASIC 385 as a system for 7 households offers a durable and clear entrance solution. The independent freestanding installation allows the mailbox system to be positioned to suit the plot and access situation.

The S variant is vertically oriented and uses the available system width particularly efficiently – ideal for narrower property accesses.

The mailboxes are made from galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. A close-fitting side cladding with rain hood unites the individual mailboxes into a single, closed system.

Each compartment features a letter slot of 35 × 265 mm for DIN C4 items in portrait format. A sound-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the letter flap.

The advantages of the BASIC 385 at a glance

Solid stainless-steel support posts

Round-tube support posts of approx. 60 mm diameter in brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at property entrances.

Large letter slot to DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The letter slot with 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be inserted without folding.

Quiet insertion and convenient retrieval

A sound-damping rubber lip reduces the impact of the letter flaps. Mail is retrieved from the front via doors that open from left to right.

Durable finish in RAL 7016

The matte fine-textured surface in Anthracite grey combines a modern appearance with a resilient coating on the galvanised steel.

Proven BASIC quality – Made in Germany

The combination of solid material selection, DIN EN 13724-compliant compartments and an installation-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Narrow, vertically oriented version
Number of mailboxes 7 separately usable mail compartments
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey fine-textured matt
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With sound-damping rubber lip
Mail retrieval Front-facing
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap
Standard Mailboxes in accordance with DIN EN 13724

Support posts and equipment

Support posts Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
Mounting options Optionally for screw mounting or for embedding in concrete
Fixings Anchor bolts for screw mounting not included; select separately to suit the foundation

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres of volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by embedding in concrete

For the freestanding system we recommend a sufficiently sized concrete foundation. When embedding, the stainless-steel support posts must be set vertically plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

Screw mounting on a foundation

For screw mounting a flat, load-bearing concrete foundation is required. Suitable anchor bolts or fasteners must be chosen according to the substrate and the load on the system. For the BASIC-385-ST-R variants, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is optimally protected from moisture and soiling only when fully inserted and the letter flap is closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture may enter the mailbox despite compliance with the standard.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Number of boxes	with 7 letterboxes
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	42
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox are delivered in separate parts.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618