Freestanding XXL parcel box GOETHE with 2 letterboxes and provision for camera and intercom on the left - airlock system - RAL colour of your choice | Left | Individualised preparation | Front mail retrieval | with 2 mailboxes



Product number 215-STL-PK600-2BK-SPL-IND

Product description

Freestanding XXL parcel box GOETHE with 2 letterboxes and provision for camera and intercom on the left - sluice system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – customers now expect more flexibility and security than ever before. With the **Parcel Letterbox GOETHE** from Briefkasten Manufaktur you rely on an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium, powder-coated in the RAL colour of your choice.

 Compatible with common manufacturers: LOXONE, Siedle, Busch-Jaeger, Gira, TCS, Legrand BTicino, Ritto, STR Elektronik, ELCOM, HHG, Comelit, Mobotix, HIKVISION and many others available on request.

The **letterboxes** (BH 400x400 mm) are made from stainless steel 1.4016 (corrosion-resistant, magnetic stainless steel), powder-coated in a RAL colour of your choice. They are equipped with an innovative push-key lock that is keyed alike with the parcel box and are supplied with ten keys. Letters are inserted and removed from the front. The insertion flaps are fitted with high-quality hinge dampers, allowing mail to be inserted particularly quietly. The letterboxes comply with **DIN/EN 13724** with an insertion size of 3.5 x 36.0 cm – sufficient for C4 envelopes in landscape format without folding. The retrieval doors open downwards so that mail cannot fall towards you. The dimensions of the letterboxes provide a capacity of approximately 64 litres. The innovative push-key lock is discreetly hidden inside: the key is simply inserted – without turning – and the door opens.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The generous **parcel box** (BH 600x1200 mm) is likewise made from stainless steel 1.4016, powder-coated in a RAL colour of your choice. It offers a volume of 192 litres and allows delivery of parcels up to a size of 555 x 375 x 305 mm (W×H×D), which corresponds to DHL parcel size L. The parcel inlet flap is damped and closes particularly quietly. Thanks to the specially developed delivery sluice, your parcel is automatically transferred to the secured retrieval compartment after insertion. The sluice is immediately ready for further deliveries and remains isolated from the retrieval compartment – so your consignments are always optimally protected. Any carrier (e.g. DHL, DPD, TNT, GLS, Hermes) can use the parcel letterbox. Depending on placement, even up to four DHL parcels of size M may fit inside.

Briefkasten Manufaktur places the greatest value on high-quality materials. Stainless steel ensures extremely high corrosion resistance and an elegant surface finish. Quality assurance begins with the selection of our raw material suppliers and only ends when the parcel letterbox arrives with you in the required quality. Trust the **Parcel Letterbox GOETHE** – a secure, flexible and stylish solution for your mail and parcel delivery. A product that combines traditional craftsmanship with state-of-the-art technology – Made in Germany by Briefkasten Manufaktur Lippe.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality parcel letterbox made from stainless steel and aluminium, powder-coated in the colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- 2 letterboxes (BH 400x200mm) made from stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL of your choice with stainless-steel laser-engraved pictogram "BRIEF".
- Innovative push-key locks with 2 keys each.
- Letters are inserted and removed from the front. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape, large letters therefore fit without bending.
- Retrieval door opens from top to bottom. This prevents mail from falling out towards you.
- Parcel box (BH 600x1200mm) made from stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL of your choice with stainless-steel laser-engraved pictogram "PAKET".
- Parcel compartment volume: 192 litres, max. parcel dimension: 555 x 375 x 305 mm (W×H×D), which corresponds to parcel size L.
- Parcel inlet flap with damping for quiet closing.
- Function compartment (BH 200x400mm) made from stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL of your choice.
- Provision for intercom (built-in speaker not included) possible. Optional with universal adapter for all common built-in speakers.
- Optional provision for a camera (camera not included).
- Selectable interchangeable nameplate in stainless steel with laser inscription or nameplate in acrylic (Plexi).
- 8–12 V DC short-stroke doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push-buttons cannot be powered via the control unit. It must be connected to an additional power supply of 8–12 V DC.
- An optional 8–12 V DC short-stroke illuminated push-button with pictogram is available.
- Includes EVN LED power supply / transformer IP65 12V/DC 0.1–4W for the LED lighting (house number, doorbell push-button and nameplate if selected).
- Optimal protection from rain through rain runoff edges and a rain canopy made from 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Rear panel made from 1 mm stainless steel 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Base made from 40x40x2 mm stainless steel tube 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Invisible fixing and cable routing within the post. The overall height is 1.65 m.

Important information

Water protection

To achieve optimal protection of your mail from water, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully pushed in allows moisture and dirt to enter the letterbox. This system is protected against ingress of water according to DIN EN 13724. Entry of water is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	2 buttons
Functions	Newspaper compartment, Light button, Parcel compartment
Functional box prepared for manufacturer	LOXONE, GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, Mobotix
Number of boxes	with 1 parcel box, with 2 letterboxes
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200,0 | PK 1200,0
Width of single box in mm	BK 400,0 | PK 600,0
Capacity in litres	BK 64.0 | PK 192.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	1650.0
Total width in mm	608.0
Depth in mm	400.0 + 25.0 Rain canopy
Weight in kg	69
Delivery condition	Delivered assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618