Freestanding design parcel box GOETHE with 1 letterbox - airlock system - RAL colour of your choice | with 1 mailbox | Front mail retrieval | Parcel compartment 400x1200x400



Product number 215-STL-PK-1BK

Product description

Freestanding design parcel box GOETHE® with 1 mailbox - sluice system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – today customers expect more flexibility and security than ever. With the GOETHE parcel mailbox from Briefkasten Manufaktur you rely on an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium.

The GOETHE® parcel mailbox features a specially designed delivery sluice. Once the courier places your parcel in the sluice and closes it, the parcel automatically drops into the locked retrieval compartment below. After this process the delivery sluice is immediately ready for further deliveries and is automatically isolated from the retrieval compartment itself, guaranteeing the highest level of security for your parcels. A parcel box for simple parcel receipt, independent of the carrier! Any parcel carrier (e.g. DHL, DPD, TNT, GLS, Hermes, or similar) can use this parcel mailbox. The spacious interior of the GOETHE® parcel mailbox is designed to accommodate a DHL Paket M and even several smaller parcels. Depending on the placement of the DHL Paket size M, up to four such parcels can even be stored safely and conveniently.

The dimensions of the mailbox allow a capacity of approx. 32 litres; the large inlet ensures that even DIN-C4 envelopes and magazines, or post accumulated during several days of absence, remain uncreased. The innovative push-key lock is concealed inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the position of the lock this mailbox is designed so that the retrieval door prevents mail from falling out towards you. The internal postal items are optimally protected from the weather by the water run-off edge. The insertion flap is fitted with high-quality hinge dampers, ensuring quiet closing and preventing annoying rattling caused by weather conditions.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Briefkasten Manufaktur places particular emphasis on the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE® parcel mailbox ensures extremely high corrosion resistance and a strikingly attractive surface finish. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel mailbox arrives with you in the required quality. Rely on the GOETHE® parcel mailbox for a secure, flexible and stylish solution to your parcel delivery needs. Be convinced by a product that unites traditional craftsmanship with state-of-the-art technology – entirely in the spirit of Briefkasten Manufaktur.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

- High-quality parcel mailbox made of stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- 2 innovative push-key locks with 10 keys, keyed alike.
- Letter insertion and retrieval take place from the front. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The mailbox complies with DIN/EN 13724. Inlet size (3.5 cm x 36.0 cm) for C4 landscape – large letters fit in without bending.
- Retrieval door opens from top to bottom, preventing mail from falling out towards you.
- Parcel box (BH 400x1200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in the RAL colour of your choice with stainless steel laser inscription.
- Parcel compartment volume: 128 litres, max. parcel dimensions: 355 x 375 x 305 mm (W x H x D), corresponding to parcel size M.
- Parcel inlet flap with damping for quiet closing.
- Optimal protection from the weather through rain run-off edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Rear panel made of 1 mm stainless steel 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Base made of 40x40x2 mm stainless steel tube 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Invisible fixing within the post. The overall height is 1.45 m.

Important information

Water protection

To achieve optimal protection of your post from water, the mailbox or mailbox system should, where possible, be placed under a canopy.

Postal items are only protected from water if they are placed completely inside the box and the insertion flap is closed. Partially inserted mail may allow moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a valid reason for a claim.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 1 parcel box, with 1 letterbox
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | PK 1200.0
Width of single box in mm	400,0
Capacity in litres	BK 32.0 | PK 128.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Overall height in mm	1450,0
Total width in mm	408,0
Depth in mm	400.0 + 25.0 Rain roof
Weight in kg	68
Delivery condition	Delivery is assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618