GOETHE freestanding bolt-down doorbell pillar with GIRA System 106 IP for 1 household – choice of RAL colour

Product number BML3D-P1HYM8RP66



Product description

Video doorbell pillar in your choice of RAL colour with two functional enclosures and backlit lettering

The GOETHE doorbell pillar combines two vertical functional enclosures with a factory-fitted GIRA System 106 IP video set for one household. A doorbell button and engraved lettering with white backlighting complement your door communication system.

The powder-coated version in your choice of RAL colour combines stainless steel enclosures and front panels with close-fitting aluminium cladding and a flat rain canopy. The freestanding pillar is bolted down through its base plate.

Features of this letterbox system

- Overall external dimensions (W × H × D): 206 × 1610 × 125 mm.
- 2 vertical functional enclosures, each measuring 200 × 600 × 100 mm, with 2 matching front panels; no letterboxes or parcel boxes.
- Freestanding installation with a bolt-down post and base plate on a suitable load-bearing surface.
- Body made from 1.4016 stainless steel, front panels from V2A 1.4301 stainless steel and cladding from AlMg3 W19 aluminium.
- Powder-coated finish in your choice of RAL colour.
- Close-fitting cladding with 2 side panels made from 3 mm thick aluminium and a flat rain canopy.
- Base enclosure measuring 200 × 400 × 100 mm, plus a rear panel with base plate made from 6 mm thick aluminium.
- Factory-fitted GIRA System 106 IP video set for 1 household with 3 vertically stacked modules, a surface-mounted housing and 1 doorbell button.

GIRA System 106 IP with camera and call button module

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The included video set consists of three GIRA system modules: call button cover with Gira System 106 call button module – 5539 000, Gira System 106 IP door station module – 5592 920 and Gira System 106 IP camera module – 5562 000. The 5503 910 surface-mounted housing is also included.

The modules are stacked vertically. The simple mounting system allows them to be replaced and wired at a later date.

Add an indoor station separately

This GIRA System 106 IP is supplied without an indoor station. The matching GIRA indoor station is available separately as an accessory and must be added if you wish to use the system with an indoor station.

Please have the system configuration checked and the connection and commissioning carried out by a suitably qualified professional in accordance with the manufacturer's documentation.

Laser engraving and white-backlit lettering

The selected configuration includes laser-engraved lettering as well as laser-cut lettering with white backlighting. The pillar thus combines engraved and illuminated lettering elements.

Individually configurable

Design your letterbox system to suit your home: select “Configure now” to customise this configuration to your requirements.

- Support posts in the right length: select the post length offered for your installation requirements. You can change the length shown.
- Enclosure finish: customise the colour in the 3D configurator using the colours available for this version.
- Personalised lettering: customise the designated areas with your own names, house numbers or text of your choice. The lettering shown is for illustration and can be replaced.
- Typography: choose from the fonts available for the lettering and adjust the appearance in the configurator.
- Backlit lettering can be configured on the designated areas of this system.
- Features: add or change compatible components from the selection available for this system.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to reflect your selection.

Important information

Installation: the selected system requires a suitable load-bearing surface. Please follow the installation instructions and take account of the configured fixing method.

Electrical equipment: have the connection and commissioning carried out by a suitably qualified professional in accordance with the manufacturer's documentation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Number of bell push buttons	1 button
Functions	Camera
Functional box prepared for manufacturer	GIRA
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Surface/colour	RAL of your choice (according to colour table)

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618


Dimensions

Overall height in mm	1610
Total width in mm	206
Depth in mm	125


Dimension drawing



More images







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618