9-unit 5x2 surface-mounted mailbox system Design BASIC 385A-7016 AP - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 9 mailboxes

Product number 385A-7016-9W



Product description

Wide surface-mounted mailbox system BASIC 385A for 9 households – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 9 households is a robust wall-mounted solution for apartment buildings, residential complexes and commercially used properties. The wider W version distributes the mailboxes across a multi-column front and keeps the overall system relatively lower and more compact.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-structure matt finish. The close-fitting cladding with rain canopy unites the individual compartments into a continuous, modern surface-mounted system.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm inlet slot is designed for DIN C4-format items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the inlet flap.

Advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual mailboxes into a continuous surface-mounted system. The coordinated cladding provides a calm front and a clean finish at the façade.

DIN C4 inlet and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm inlet slot also accepts larger DIN C4-format items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip cushions the inlet flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail facilitates installation; fixings including screws and wall plugs are part of the described configuration.

Robust surface in RAL 7016

The anthracite grey fine-structure surface gives the system a modern appearance and protects the galvanised steel for everyday use on the building. The system is manufactured in Germany by Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 9 individually lockable mailboxes
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-structure matt
Surface RAL 7016 Anthracite grey fine-structure matt
Standard DIN EN 13724

Mail and operation

Inlet slot 35 × 265 mm, suitable for DIN C4 portrait
Inlet flaps With noise-damping rubber lip
Mail removal Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the inlet flap

Cladding and wall installation

Side cladding Close-fitting design
Rain canopy Robust, matching the system
Installation type Surface-mounted wall installation
Mounting aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall construction should be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

The wall must be level and structurally sound. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, suitable fixings must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected against moisture and soiling when items are fully inserted and the inlet flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Number of boxes	with 9 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	550.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	55
Delivery condition	Delivered partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618