8-unit freestanding mailbox system Design BASIC 385220 7016 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 8 mailboxes



Product number 385220-7016-8

Product description

Freestanding mailbox system BASIC 385220 for 8 households – RAL 7016 Anthracite grey

The BASIC 385220 is designed as an especially spacious freestanding mailbox solution for 8 households. Approximately 25 litres of volume per mailbox provide ample space for daily mail, magazines and larger consignments.

The mailboxes are made from galvanised steel and powder-coated in RAL 7016 Anthracite grey fine-texture matt. A rain hood and side panels unite the individual compartments into a closed, linear overall unit.

The freestanding construction allows positioning independently of the building façade – for example at the property entrance, by a driveway or along the access path.

Each compartment has an insertion opening of 35 × 265 mm for DIN C4 items in portrait format. A noise-damping rubber lip reduces impact noise; mail is removed from the front via doors that open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate.

Key advantages of the BASIC 385220 at a glance

Solid stainless steel support posts

Round-tube support posts of approx. 60 mm diameter made from brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Large-capacity 220 mm version

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

With approx. 300 × 220 × 385 mm per mailbox the BASIC 385220 provides around 25 litres of mail volume. This is particularly practical for higher mail volumes or longer collection intervals.

Large mail slot compliant with DIN EN 13724

The insertion opening of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be inserted without being folded.

Bolted mounting or concreting-in

Depending on the version, the stainless steel support posts are bolted to a load-bearing foundation or permanently concreted in. This allows the unit to be installed to suit the building situation.

Robust large-capacity system Made in Germany

The combination of galvanised steel, large 25-litre mail compartments, solid stainless steel support posts and an installation-friendly construction makes the BASIC 385220 a particularly robust solution for daily use.

Equipment of the BASIC 385220 mailbox system

Mailbox system

Number of mailboxes 8 separately usable compartments
Design Freestanding mailbox system
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey fine-texture matt
Mailbox size Approx. 300 × 220 × 385 mm per compartment
Mail volume Approx. 25 litres per mailbox
Manufacture Manufactured in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail removal Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Standard Mailboxes conforming to DIN EN 13724

Support posts and equipment

Support posts Round tube approx. 60 mm made of brushed stainless steel V2A 1.4301
Mounting options Selectable for bolted mounting or concreting-in
Anchor bolts Not included with bolted mounting; select separately to match the foundation
Rain hood / side panels Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matt

25 litres mail volume

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The BASIC 385220 uses the deep mailbox version of approx. 300 × 220 × 385 mm and around 25 litres of volume per compartment. The additional volume is particularly suitable for regular deliveries of letters, magazines and catalogues as well as for longer collection intervals.

Concreting-in installation

For the freestanding mailbox system we recommend a suitably dimensioned concrete foundation. The stainless steel support posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to the ground conditions, system weight and local circumstances.

Bolted mounting on a foundation

For bolted mounting, a level and load-bearing concrete foundation is required. Suitable anchor bolts or equivalent fastening elements must be selected to suit the substrate and the system loads. Anchor bolts are not included in the standard scope of delivery.

Note on weather protection

When items are fully inserted and the insertion flap is closed, the mail is best protected against moisture and soiling. Protruding items may prevent the flap from closing fully. In extreme weather conditions, despite standard-compliant construction, moisture can enter the mailbox.

Product properties

Material	Steel, galvanised
Series	BASIC
Name labelling	Nameplate
Mounting type	Free-standing
Surface/colour	RAL 7016 anthracite grey, Brushed
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	600.0
Overall height in mm	1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	64
Delivery condition	Delivery is made in blocks; stand elements / mailbox are supplied in separate parts.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen






More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618