6-unit surface-mounted mailbox system Design BASIC 385 A 220 - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 6 mailboxes (3x2) | 300x220x385 mm (WxHxD) - ???? Large 25 litres



Product number 385A220-7016-6

Product description

Surface-mounted mailbox system BASIC 385A 220 for 6 households – 25 litres per compartment – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 6 households is a robust wall solution for apartment buildings, smaller residential complexes and office or medical practices. The balanced layout groups all mail compartments into a clearly structured and visually continuous wall unit.

The mailboxes are made of galvanised steel and powder-coated in RAL 7016 Anthracite grey fine-textured matt. The close-fitting cladding with rain hood unites the individual compartments into a closed, modern surface-mounted unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and provides approx. 25 litres of volume. The 35 × 265 mm drop slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and a replaceable nameplate located beneath the inlet flap.

Advantages of the BASIC 385A 220 surface-mounted system at a glance

Rain hood and side cladding

Rain hood and side panels unite the individual mail compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

25 litre mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each offer approx. 25 litres of volume. The 35 × 265 mm drop slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the inlet flap. Robust locks, two keys with key number and protected replaceable nameplates ensure clear allocation of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail facilitates installation; fixing material with screws and plugs is included in the described configuration.

Robust finish in RAL 7016

The anthracite grey fine-textured surface gives the unit a modern appearance and protects the galvanised steel for daily use on the building. The unit is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 6 individually lockable mail compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Finish RAL 7016 Anthracite grey fine-textured matt
Standard DIN EN 13724

Mail and operation

Drop slot 35 × 265 mm, suitable for DIN C4 portrait
Inlet flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the inlet flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Solid, matching the unit
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and plugs included; suitability for the on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and plugs should only be used if they are suitable for the existing wall construction; for other substrates or thermal insulation composite systems, suitable fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the inlet flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	31
Delivery condition	Delivered partially disassembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618