# Designer surface-mounted mailbox GOETHE AP with newspaper compartment - RAL colour of your choice - Prepared for LOXONE Intercom/Code Touch | with newspaper compartment | 100mm depth | Prepared for dual LOXONE Intercom + Code Touch




**Product number** 215-AP-1-SP-ZF-LOX1-LOX2H

## Product description

## Design surface-mounted mailbox GOETHE® AP with newspaper compartment - RAL colour of your choice - LOXONE Intercom prepared

High-quality surface-mounted mailbox with newspaper compartment in a flush-fit design. The modern GOETHE® mailbox is ideal for sophisticated entrance areas. Its clean-lined shape without a visible lock gives this mailbox an especially elegant appearance. The LOXONE Intercom can be seamlessly integrated into the flush-fit design and exchanged at any time. The preparation is provided for 1 x LOXONE Intercom (incl. cut-out for sound output) or 1 x LOXONE Intercom (incl. cut-out for sound output) + 1 x LOXONE NFC Code Touch/Touch Pure.

The dimensions of the single box allow a capacity of approx. 16 litres; the large entry slot ensures that even DIN C4 envelopes and magazines will not be creased, even after several days away. The innovative Push-Key lock is concealed inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. The lock arrangement is designed so that the collection door prevents your post from falling out towards you. The internal post is optimally protected from the weather by the water runoff edge. The entry flap is fitted with high-quality hinge dampers, ensuring quiet closing and preventing annoying rattling caused by the weather.

The surface-mounted mailbox systems of the GOETHE® collection are characterised by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE® systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

**Protected utility model according to DPMA file reference DE: 20 2021 101 679.5**

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality surface-mounted mailbox made of stainless steel and aluminium.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x400mm) made of stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Letters are inserted and removed from the front. Inlet flap with high-quality hinge dampers for very quiet insertion of post.
- The mailbox complies with DIN/EN 13724. Inlet size (3.5 cm x 36.0 cm) for C4 landscape; large letters also fit without being bent.
- Collection door opens from top to bottom. This prevents your post from falling out towards you.
- Optional name inscription approx. 15-20 mm high.
- Optional house number inscription approx. 70-80 mm high.
- Newspaper compartment (BH 400x200mm) made of stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in RAL colour of your choice with stainless steel laser inscription "ZEITUNG" (font ARIAL; if name/house number, then in your chosen font).
- Newspaper compartment opens from bottom to top.
- Function box (BH 400x200mm) made of stainless steel 1.4016 (magnetic, corrosion-resistant stainless steel), powder-coated in RAL colour of your choice.
- Optimal protection from rain thanks to rain runoff edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Incl. mounting rail for wall installation.
- **WITHOUT LOXONE Intercom/system components!**

## Important information

Camera or intercom preparation

**We always recommend that electrical installation be carried out by a qualified electrician.**

We offer preparations for intercoms from various manufacturers for our mailboxes. The preparation does not include end devices; it comprises the provision of mounting brackets, drillings and cut-outs so that you can mount your end device without difficulty.

Water protection

To achieve optimal protection of your post from water, the mailbox or mailbox system should, where possible, be positioned under a canopy.

Post is only protected from water if it is placed completely inside the box and the inlet flap is closed. Post that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against ingress of water in accordance with DIN EN 13724. Water ingress is not grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | GOETHE |
| **Functions** | Newspaper compartment, Camera, Intercom, Fingerprint, Keypad |
| **Functional box prepared for manufacturer** | LOXONE |
| **Material** | Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel) |
| **House number** | House number as laser engraving |
| **Name labelling** | Laser-engraved |
| **Removal of mail** | On the front |
| **Number of boxes** | with 1 letterbox |
| **Boxes by volume** | Large > 16 litres |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions


| | |
|---|---|
| **Height of single box in mm** | BK 400.0 \| ZF 200.0 |
| **Width of single box in mm** | 400,0 |
| **Capacity in litres** | BK 16.0 \| ZF 8.0 |
| **Height of letterbox slot in mm** | 35,0 |
| **Width of letter slot in mm** | 360,0 |
| **Height of letterbox in mm** | 800,0 |
| **Width of letterbox system in mm** | 400,0 |
| **Total width in mm** | 408,0 |
| **Depth in mm** | 100.0 + 25.0 Rain roof |
| **Weight in kg** | 24 |
| **Delivery condition** | Delivery is assembled |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618












Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618