12-unit freestanding mailbox system Design BASIC 385 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 12 mailboxes (2x6) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres



Product number 385-7016-12W

Product description

Freestanding 12-unit mailbox system BASIC 385 for 12 households – wide, multi-column configuration – RAL 7016 Anthracite grey

The BASIC 385 is designed as a freestanding mailbox solution for 12 households. Robust materials, front access and the freedom to choose the installation location make the system particularly suitable for multi-family houses, residential complexes and commercially used properties.

The W configuration distributes the mail compartments across a wider, multi-column system form and creates a clear front for multiple users.

The mailboxes are made from galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. A close-fitting side cladding with rain hood combines the individual mailboxes into a single enclosed system.

Each compartment features a slot of 35 × 265 mm suitable for DIN C4 items in portrait orientation. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the slot.

The advantages of the BASIC 385 at a glance

Solid stainless-steel support posts

Round-tube support posts of approx. 60 mm diameter in brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Large mail slot compliant with DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can be inserted without folding.

Quiet insertion and convenient retrieval

A noise-damping rubber lip reduces the impact of the flap. Mail is retrieved from the front via doors that open from left to right.

Durable surface in RAL 7016

The matt fine-textured surface in Anthracite grey combines a modern appearance with a resilient coating on the galvanised steel.

Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant compartments and an installation-friendly construction makes the BASIC 385 a long-lasting solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column configuration
Number of mailboxes 12 individually usable compartments
Mailbox material Galvanised steel
Surface RAL 7016 Anthracite grey fine-textured matt
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Slot opening 35 × 265 mm, suitable for DIN C4 portrait
Flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the slot
Standard Mailboxes compliant with DIN EN 13724

Support posts and fittings

Support posts Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
Mounting options Either for bolted mounting or for embedding in concrete
Fixings Anchor bolts for bolted mounting not included; select suitable anchors for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mounting by embedding in concrete

For the freestanding system we recommend an adequately dimensioned concrete foundation. When embedding, the stainless-steel support posts must be aligned vertically (plumb) and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

Bolted mounting on a foundation

Bolted mounting requires a level, load-bearing concrete foundation. Suitable anchor bolts or fastening materials must be selected to suit the substrate and the system load. For the BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected from moisture and soiling only when fully inserted and with the flap closed. Protruding items may prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite compliant construction.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 12 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	64
Delivery condition	Delivery is in blocks; freestanding elements / mailbox are delivered in separate parts.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618