
18-unit (6x3) surface-mounted mailbox system Design BASIC 385A- VA AP - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 18 mailboxes | Stainless steel, brushed



Product number 385A-VA-18W

Product description

Wide surface-mounted mailbox system BASIC 385A for 18 tenants – stainless steel V2A brushed

The BASIC 385A surface-mounted mailbox system for 18 tenants is a robust wall solution for larger apartment buildings, residential complexes and commercial properties. The wider W-version distributes the mail compartments across a multi-column front and keeps the overall system proportionally lower and more orderly.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is provided with two keys with key number and an interchangeable nameplate beneath the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain hood and side cladding

Rain hood and side panels combine the individual compartments into a closed surface-mounted system. The coordinated cladding ensures a calm front and a neat finish at the façade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Complete in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The system is manufactured in Germany by Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 18 separately lockable compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Surface finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Solid, system-matching design
Installation method Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be level and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 18 letterboxes
Surface/colour	Brushed
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	85
Delivery condition	Delivered partially assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618