3-unit stainless steel surface-mounted mailbox system Design BASIC 385 A 220 - V2A stainless steel, brushed | 300x220x385 mm (WxHxD) - ???? Large 25 litres | Stainless steel, brushed | with 3 mailboxes (1x3)



Product number 385A220-3

Product description

Surface-mounted mailbox system BASIC 385A 220 for 3 households – 25 litres per compartment – Stainless steel V2A brushed

The BASIC 385A surface-mounted mailbox system for 3 households is a robust wall-mounted solution for apartment buildings, smaller residential complexes as well as office and medical practice premises. The balanced arrangement groups all mail compartments into a clearly structured and visually continuous wall unit.

The mailbox system is made of high-quality stainless steel V2A in a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless-steel unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the letter flap.

The advantages of the BASIC 385A 220 surface-mounted unit at a glance

Rain hood and side panels

The rain hood and side panels combine the individual mail compartments into a continuous surface-mounted unit. The coordinated cladding provides a calm front and a neat finish against the façade.

25 litres mail capacity per compartment

The compartments measuring 300 × 220 × 385 mm (W × H × D) each offer approx. 25 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear use of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade mounting. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described specification.

Complete in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The unit is manufactured in Germany by the Briefkasten Manufaktur.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 3 individually lockable compartments
Individual compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 upright
Letter flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap

Cladding and wall mounting

Side panels Close-fitting design
Rain hood Robust, matching design
Installation type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the on-site wall structure
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the letter flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	28
Delivery condition	Delivered fully assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618