Design letterbox pedestal GRIMM - rear removal - polished stainless steel with DoorBird video intercom system | DoorBird | Rear mail retrieval | Stainless steel, brushed



Product number 562-STL-PE-H-SPO-1-VA-DB

Product description

Design Mailbox Column GRIMM with DoorBird Video Intercom – A Masterpiece of Mailbox Manufacturing

The Mailbox Column GRIMM combines modern design with top-quality craftsmanship – ideal for discerning builders and architects seeking an elegant solution for integrating DoorBird. Manufactured from high-quality stainless steel and fully "Made in Germany" by the Mailbox Manufacturer Lippe, this model represents durability, functionality, and stylish appearance. The polished front panel made of 2 mm stainless steel V2A 1.4301 impresses with its timeless design and high corrosion resistance.

At the heart of this system is the DoorBird IP Video Door Station D2100E or D1100E, which integrates seamlessly into modern smart home solutions. It offers live video transmission, intercom function, and mobile control via the DoorBird app. Whether at home or on the go – with your smartphone, you can see and talk to visitors at your front door anytime. Classic components such as doorbell, electric door opener, or gate drive can be easily integrated and controlled through the system.

The GRIMM mailbox impresses with its modern design, high-quality craftsmanship, and thoughtful functionality. Equipped with a classic lever lock made of stainless steel with a dust cover, the locking mechanism is reliably protected from weather influences, ensuring a long lifespan. Mail retrieval takes place conveniently from the rear – ideal when the mailbox is integrated into a wall or fence structure. Mail insertion occurs from the front and is supported by high-quality axle dampers that allow for soft and quiet closing of the insertion flap. Thanks to the practical design, your mail remains secure in the box even when the flap is opened. The GRIMM is particularly flexible due to its double box system: The column can be installed during the shell construction phase, while the front panel is only mounted after the completion of the construction work. This protects the mailbox from dirt and damage during the construction period and ensures a perfect appearance upon moving in.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Thanks to the DIN/EN 13724 standard, the GRIMM is ideally suited for large letters in C4 format, which can be inserted without creasing. The GRIMM mailbox is characterised by its durable quality, timeless design, and well-thought-out functionality.

A special feature of the Design Mailbox Column GRIMM is the fully welded stand column made of solid stainless steel V2A 1.4301. This construction guarantees maximum stability and an exceptionally long lifespan – even with continuous outdoor use. The fully welded design creates a seamless, robust body without visible screws or connections, highlighting the elegant look while preventing moisture and dirt from entering. The precisely ground seams ensure a uniform appearance and give the column a particularly high-quality aesthetic. Additionally, the construction allows for invisible cable management within the column, ensuring that all electrical connections for the DoorBird Video Intercom as well as other smart home components can be safely and securely installed. This unique manufacturing technique sets new standards in design and functionality, making the Mailbox Column GRIMM a future-proof solution for modern architectural projects.

- High-quality mailbox column entirely made of stainless steel for free-standing installation.
- Front panel made of 2 mm stainless steel V2A 1.4301, polished.
- Quality manufacturing – Made in Germany by Mailbox Manufacturer Lippe.
- Integrated DoorBird IP Video Door Station – modern door communication via smartphone. Compatible with many smart home systems and existing building technology.
- High-quality lever lock including 2 keys with key number.
- The rear retrieval door with opening limiter opens from top to bottom to prevent your mail from falling out.
- Front mail insertion with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – large letters remain undamaged. Additional mail retrieval protection made of stainless steel integrated.
- Optimal weather protection through recessed panel.
- Double box system: The panel can be conveniently installed after the completion of construction work and replaced at any time.
- The fully welded stand column is made of 2mm stainless steel V2A 1.4301, polished. Height is 1.70 m.
- Invisible cable entry through the body is possible.
- The column is equipped with a base plate made of VA. This is 10 mm thick and is finished with a cover panel, concealing the mounting anchors.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be located under a canopy.

Mail is only protected from water if it is completely placed in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a valid reason for complaint.

Product properties

Series	GRIMM
Connection technology	2-wire, LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	DoorBird
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Name labelling	Laser-engraved
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	External dimension 750.0 | Installation dimension 710.0
Width of single box in mm	External dimensions 450.0 | Installation dimensions 410.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimension 750.0 | Installation dimension 710.0
Width of letterbox system in mm	External dimensions 450.0 | Installation dimensions 410.0
Overall height in mm	1700.0
Total width in mm	Body 490.0 | Base Plate 580.0
Depth in mm	Korpuss 150.0 | Base plate 242.0
Weight in kg	65
Delivery condition	Delivery is provided assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618