4-piece stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with bell box on the side - RAL of your choice | Right | 150mm depth | ? Colour of your choice | with 4 mailboxes



Product number 382XU-4-SPS-R-150

Product description

4-unit stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with side-mounted doorbell box - RAL colour of your choice

Modern flush-mounted letterbox for 4 households - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well-thought-out concept make this flush-mounted letterbox one of our top sellers. A rain runoff edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post-retention bar and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of stainless steel V2A is fitted with a foam rubber seal and guarantees very high durability.

The letterbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility and modularity, simple spare-part mounting and straightforward self-installation. Spare parts for all BASIC Plus systems are available directly.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **4-compartment flush-mounted letterbox system entirely from stainless steel V2A 1.4301, powder-coated in RAL colour**
- The system is manufactured at Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape; large envelopes fit in without folding.
- Insertion flap with noise-damping rubber seal for very quiet insertion of mail.
- The door opens from left to right.
- Includes 2 keys with key number, interchangeable nameplate (Type 2) under the mail slot and post-retention bar.
- Large capacity with optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- **Doorbell box made of stainless steel V2A 1.4301, powder-coated in RAL colour, fine-structure matt**
- Speaker aperture with universal adapter. (Intercom/intercom speaker not included). Optionally also available without speaker aperture.
- The universal adapter is suitable for all common flush-mounted speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit, and many more).
- Round stainless steel doorbell push-button Type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (actuation force limited).
- Anti-vandalism - the nameplate is dent-resistant and impact-proof; the plastic is flame-retardant.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Important information

Preparation for camera or intercom

The intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, contact the electrician of your choice.

Water protection

Post is only protected from moisture and dirt when fully inserted and the flap is closed. Under certain extreme weather conditions water may still enter (according to DIN EN 13724 up to 1 cc). This is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	4 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	930.0
Total width in mm	930.0
Depth in mm	100.0 | 150.0
Weight in kg	34
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618