Designer surface-mounted letterbox GOETHE AP with newspaper compartment - RAL colour of your choice - doorbell-intercom unit - CUSTOMISED | with newspaper compartment | 100mm depth | Individualised preparation



Product number 215-AP-1-SP-ZF-IND

Product description

Design surface-mounted mailbox GOETHE® AP with newspaper compartment - RAL colour of your choice - bell and intercom unit

High-quality surface-mounted mailbox with newspaper compartment and bell/intercom unit in a flush-front design. The modern GOETHE® mailbox is ideal for a sophisticated entrance area. The straight-lined design without a visible lock gives this mailbox a particularly elegant appearance. The individually configurable bell and intercom unit is available with a flush-mounted doorbell button, a nameplate or labelling in combination with your required intercom preparation (built-in speaker not included) and/or camera preparation.

The dimensions of the single box allow a capacity of approx. 16 litres; the large insertion aperture ensures that even DIN C4 envelopes and magazines, or post accumulated during several days' absence, are not creased. The innovative push-key lock is invisibly integrated inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. The lock position is designed so that the collection door prevents the mail from falling out towards you. The internal mail is optimally protected from the weather by the water drainage edge. The insertion flap is equipped with high-quality hinge dampers, ensuring a quiet closing and preventing annoying rattling caused by weather influences.

The surface-mounted mailbox systems of the GOETHE® collection are distinguished by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare part installation and straightforward self-assembly. Spare parts for all GOETHE® systems are available directly in our shop.

Thanks to the design, self-assembly is straightforward.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality surface-mounted mailbox made of stainless steel and aluminium.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x400 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in a RAL colour of your choice.
- Innovative push-key lock with 2 keys.
- Letters are inserted and removed from the front. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without being folded.
- The collection door opens from top to bottom, preventing your post from falling out.
- Optional house number labelling approx. 70–80 mm high.
- Newspaper compartment (BH 400x200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in a RAL colour of your choice with stainless steel laser inscription "ZEITUNG" (font ARIAL; if name/house number is chosen, the selected font will be used).
- Newspaper compartment opens from bottom to top.
- Function compartment (BH 400x200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in a RAL colour of your choice.
- Optionally interchangeable stainless steel nameplate with laser inscription, nameplate made of plexiglass, or direct illuminated inscription.
- 8–12 V DC short-stroke doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the doorbell buttons cannot be powered via the control unit; it must be connected to an additional 8–12 V DC power supply.
- An 8–12 V DC short-stroke illuminated button with pictogram is optionally possible.
- Preparation for an intercom system possible (built-in speaker not included).
- Optionally with universal adapter for all commercially available built-in speakers.
- Optional preparation for a camera (camera not included).
- Optimal protection from rain through drainage edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in a RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in a RAL colour of your choice.
- Including mounting rail for wall installation.

Important information

Camera or intercom preparation

We always recommend that electrical installation be carried out by a qualified electrician.

We offer preparations for intercoms from various manufacturers for our mailboxes. The preparations do not include end devices; they consist of providing the screw mountings, drillings & apertures so that you can mount your end device without difficulty.

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, where possible, be located under an overhang.

Mail items are only protected from water if they are placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted allows the ingress of moisture and dirt into the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	800,0
Width of letterbox system in mm	400,0
Total width in mm	408,0
Depth in mm	100.0 + 25.0 Rain roof
Weight in kg	24
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618