12-unit surface-mounted letterbox system Design BASIC 385 A 220 - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 12 letterboxes (3x4) | 300x220x385 mm (WxHxD) - ???? Large 25 litres

Product number 385A220-7016-12



Product description

Surface-mounted mailbox system BASIC 385A 220 for 12 units – 25 litres per compartment – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 12 units is a robust wall-mounted solution for apartment buildings, residential complexes and commercial properties. The balanced arrangement groups all mailboxes into a clearly structured and visually unified wall unit.

The mailboxes are made from galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. The close-fitting cladding with rain hood unites the individual compartments into a closed, modern surface-mounted unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with a key number and an interchangeable nameplate beneath the mail flap.

The advantages of the BASIC 385A 220 surface-mounted unit at a glance

Rain hood and side cladding

The rain hood and side panels unite the individual mailboxes into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

25 litres mail volume per compartment

The compartments measuring 300 × 220 × 385 mm (W × H × D) each offer approx. 25 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key numbers and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail simplifies installation; fixing materials with screws and wall plugs are included in the described specification.

Robust surface in RAL 7016

The anthracite grey fine-textured surface gives the unit a modern appearance and protects the galvanised steel for daily use on the building. The unit is manufactured in Germany by Briefkasten Manufaktur Lippe.

Specification of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 12 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Finish RAL 7016 Anthracite grey fine-textured matt
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Robust, matching design for the unit
Installation type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the wall construction on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs must only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Post is best protected from moisture and dirt only when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 12 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	61
Delivery condition	Delivered partly disassembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618