3-compartment stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted doorbell box | Left | 100mm depth | with 3 mailboxes (3x1) | Stainless steel, brushed



Product number 382XA-3W-SP-L-100

Product description

3-compartment stainless steel surface-mounted mailbox BASIC Plus 382X AP with side bell box

German quality manufacturing "Made in Germany" by Briefkasten Manufaktur. The complete 3-compartment surface-mounted mailbox is made from weather-resistant stainless steel V2A, brushed. A rain runoff edge for optimal water protection, a double-folded insertion flap with rubber buffer, the solid replaceable nameplate, a practical mail retention bar and the very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are defined by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, simple spare-part installation and straightforward self-assembly. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-assembly is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for complex wall mounting of individual boxes. 3-compartment surface-mounted mailbox made from high-quality, weather-resistant stainless steel V2A 1.4301, brushed.

Key benefits at a glance

Close-fitting stainless steel cladding with rain canopy

Side cladding and rain canopy are included in this version and are made from stainless steel V2A, brushed. The close-fitting design forms a closed, structurally coordinated unit with the mailbox system.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for DIN C4 in landscape orientation. The mailbox conforms to DIN EN 13724.

Quiet insertion and comfortable retrieval

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail retention bar holds items back during retrieval.

Integrated doorbell and intercom area

Bell box made from stainless steel V2A 1.4301, brushed. A stainless-steel bell push-button Type 4 is used as the bell button. Optionally prepared with a speaking grille for the installation of conventional intercom systems or built-in speakers. (Intercom system/built-in speaker not included). An option with a Comelit Ultra complete video set is also available.

Quality manufacturing and well-thought-out design

The system is manufactured at Briefkasten Manufaktur in Germany. The design is intended for straightforward self-assembly.

Equipment and product details

Mailbox system

Number of mailboxes 3 separately usable mail compartments
Arrangement 3 × 1
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed
Bell/intercom section Bell box made from stainless steel V2A 1.4301, brushed

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 in landscape orientation
Standard DIN EN 13724
Insertion flap Sound-dampened by rubber buffer
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate below the insertion flap
Mail retention bar Integrated per mailbox

Mounting and equipment

Type of mounting Surface-mounted
Rain runoff edge Integrated into the construction
Rain canopy Made from stainless steel V2A, brushed
Side cladding Made from stainless steel V2A, brushed
Mounting material For wall mounting incl. mounting rail and fixings (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The postal items are best protected against moisture and soiling when fully inserted and with the insertion flap closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fastening must be matched to the system weight and the existing wall structure.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	1235.0
Total width in mm	1235.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618