Design drop-through letterbox GOETHE MDW - RAL colour of your choice - DoorBird video intercom | 300-390mm depth

Product number 215-MDW-1-SP-DB-390



Product description

Design through-wall letterbox GOETHE MDW - RAL colour of your choice - DoorBird video intercom

The modern GOETHE through-wall letterbox with a seamlessly integrated DoorBird IP video door station D2100E or D1100E in a flush-mounted design. The DoorBird IP video door station D2100E or D1100E is the smart solution for your entrance. The IP video door station can be operated as a standalone unit or integrated into an existing smart home platform. Existing, conventional installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app.

Thanks to the variable shaft length between 300 mm and 390 mm or 390 mm and 560 mm, this letterbox can be installed in almost any type of wall.

The dimensions of the individual compartments provide a capacity of approx. 24–44 litres; the large insertion slot ensures that C4 envelopes and magazines, or mail accumulated after several days away, are not creased. The integrated water drainage edge optimally protects the internal mail from the weather. The insertion flap is fitted with high-quality hinge dampers, ensuring quiet closing and preventing annoying rattling caused by weather conditions.

The GOETHE letterbox systems are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy replacement-part assembly and uncomplicated self-installation. Spare parts for all GOETHE systems are available directly from our shop.

Thanks to the design, self-installation is straightforward.

Utility model protected according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality through-wall letterbox completely made of stainless steel.
- Shaft made of stainless steel 1.4016 (non-rusting magnetic stainless steel), plain.
- Body made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without bending.
- Letter slot & retrieval door made of stainless steel V2A 1.4301, powder-coated in RAL colour of your choice.
- Letter insertion and retrieval are from the front. Insertion flap with high-quality hinge dampers for very quiet insertion of mail.
- Retrieval door opens from top to bottom. This prevents the mail from falling out towards you.
- Function box (W x H 400 x 200 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optional with house number and name engraving, laser-cut.
- Includes DoorBird IP video door station D2100E or D1100E installed.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Variable shaft length 300–390 mm or 390–560 mm. External dimensions of letter through-shaft W 380 mm x H 180 mm.
- External dimensions front W 450 mm x H 650 mm; rear W 450 mm x H 250 mm.

Important information

Camera or intercom preparation

The intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, please contact the qualified electrician of your choice.

Water protection

To achieve optimal protection of your mail from water, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Partially inserted items allow moisture and dirt to enter the letterbox. This system is protected against ingress of water according to DIN EN 13724. Ingress of water is not a basis for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Connection technology	LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	DoorBird
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Name labelling	Laser-engraved , Illuminated laser-cut engraving
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | FK 400.0
Width of single box in mm	400,0
Capacity in litres	24,0 - 32,0 | 32,0 - 44,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	450,0
Depth in mm	BK 300.0 - 390.0 | BK 390.0 - 560.0 | FK 100.0
Weight in kg	24
Delivery condition	Supplied partially disassembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618