23-unit stainless-steel freestanding mailbox system Design BASIC Plus 385XP ST-T - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 23 mailboxes



Product number 385XP-23

Product description

Freestanding stainless-steel mailbox system BASIC Plus 385XP ST-T for 23 households

The freestanding BASIC Plus 385XP ST-T mailbox system for 23 households is an exceptionally stable entrance solution for larger residential complexes, multi-occupancy properties and commercially used buildings. 23 individually usable mailboxes are combined into a clearly structured, long-lasting overall system.

The mailboxes are made of stainless steel V2A and are finely powder-coated in a RAL colour of your choice. Particularly notable are the solid stand elements made from anodised aluminium profile: these are also powder-coated, constructed for high stability and provide an exceptionally robust base for the whole mailbox system. Stainless steel and solid aluminium combine durability with a clear, high-quality architecture.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion slot is designed for DIN C4 items in portrait format. A noise-damping rubber lip on the flap, front access for mail retrieval, a robust lock and the replaceable nameplate ensure comfortable everyday use.

The advantages of the BASIC Plus 385XP ST-T system at a glance

Solid aluminium stand elements

Solidly manufactured, anodised aluminium profiles form the particularly robust base of the system. The powder-coated profile construction is designed for high stability and long-term outdoor use.

Robust multi-occupancy solution for 23 households

23 separate mailboxes are combined in a stable freestanding system. Each compartment remains clearly assigned to a user and lockable separately.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

DIN C4 insertion with 12-litre capacity

The 300 × 110 × 385 mm mailboxes each provide approx. 12 litres of mail volume. The 35 × 265 mm insertion slot accepts DIN C4 mailings in portrait orientation.

Quiet insertion and robust locking technology

A rubber lip reduces impact noise at the insertion flap. Robust locks, two keys per compartment and replaceable nameplates are designed for daily use.

BASIC Plus – built for high durability

The consistent combination of stainless steel V2A and solid aluminium profiles makes the 385XP a particularly robust mailbox system. The modular construction simplifies installation, maintenance and the later replacement of individual components.

Equipment of the BASIC Plus 385XP ST-T mailbox system

Mailbox system

Number of mailboxes 23 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Mail volume Approx. 12 litres per mailbox
Mailbox material Stainless steel V2A, powder-coated in RAL colour of your choice
Insertion slot 35 × 265 mm, suitable for DIN C4 portrait
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and additional functions

Insertion flaps With noise-damping rubber lip
Mail retrieval Front access
Keys 2 keys with key number per mailbox
Nameplate Sturdy replaceable nameplate
Rain canopy Close-fitting, robust design
Rain drainage Integrated rain drainage channels for improved water protection

Solid aluminium stand elements

Stand elements Solid anodised aluminium profile, powder-coated
Construction Designed to be particularly robust and load-bearing
Surface RAL colour matching the mailbox system
Installation Freestanding installation on a suitable foundation
Side cladding Close-fitting design
BASIC Plus Modular, maintenance-friendly and designed for installation

Foundation and secure installation

The solid aluminium stand elements require a level and sufficiently load-bearing base or a suitably dimensioned concrete foundation. Foundation size, fastening and alignment must be matched to system weight, size, ground conditions and local loads.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

The rain canopy, close-fitting side cladding and rain drainage channels support weather protection. Mail items must be fully inserted so that the insertion flaps can close completely.

BASIC Plus – robust and modular

The BASIC Plus construction relies on stainless steel V2A and solid aluminium profiles. The modular design simplifies installation and the later replacement of individual components and is intended for a long service life.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Mounting type	Free-standing
Number of boxes	with 23 letterboxes
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	1
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Overall height in mm	1600.0
Total width in mm	980.0
Depth in mm	435.0
Weight in kg	113
Delivery condition	Delivery is in blocks, freestanding elements / mailbox in sections


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618