21-unit (7x3) surface-mounted mailbox system Design BASIC 385A-7016 AP - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 21 mailboxes



Product number 385A-7016-21W

Product description

Wide surface-mounted mailbox system BASIC 385A for 21 households – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 21 households is a robust wall-mounted solution for larger apartment buildings, residential complexes and commercial properties. The wider 'W' configuration distributes the mailboxes across a multi-column front and keeps the overall system proportionally lower and more organised.

The mailboxes are made from galvanised steel and powder-coated in RAL 7016 Anthracite grey fine-texture matt. The close-fitting cladding with rain canopy unifies the individual compartments into a contiguous, modern surface-mounted unit.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with a key number and an interchangeable nameplate located beneath the mail flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels integrate the individual mailboxes into a contiguous surface-mounted unit. The coordinated cladding provides a uniform appearance and a neat finish at the façade.

DIN C4 mail slot and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip cushions the mail flap. Robust locks, two keys with key numbers and protected interchangeable nameplates ensure clear allocation of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail facilitates installation; fixing materials including screws and plugs are part of the described configuration.

Robust finish in RAL 7016

The anthracite grey fine-texture finish gives the system a modern appearance and protects the galvanised steel for daily use on the building. The system is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 21 individually lockable compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matt
Finish RAL 7016 Anthracite grey fine-texture matt
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail retrieval Front-facing
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Sturdy, matching the system
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
Fixing materials Screws and plugs included; check suitability for the wall construction on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

The wall must be even and sufficiently load-bearing. The supplied screws and plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is only optimally protected from moisture and soiling when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Number of boxes	with 21 letterboxes
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	95
Delivery condition	Delivered partially disassembled.

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618