# 3-unit 3x1 flush-mounted mailbox system BASIC - Edition NELLY - Bi-colour VA-RAL 7016 anthracite grey | with 3 mailboxes (3x1)




**Product number** 382U-7016VA-BS-3X1

## Product description

## 3-unit recessed mailbox system BASIC – Edition NELLY – 3 × 1 – Bi-colour stainless steel / RAL 7016 anthracite grey

**"Everything begins with longing." – Nelly Sachs**

The Edition NELLY combines the proven BASIC mailbox technology with a distinctly more individual appearance. The mailbox body is made of galvanised steel and is powder-coated in RAL 7016 anthracite grey fine-texture matt, while the letter flaps are made of stainless steel V2A 1.4301 and brushed with 240-grit. This deliberate bi-colour contrast looks modern and high-quality and pairs well with many front doors, windows and façades. As a recessed version with 3 mailboxes (3 × 1), NELLY is designed not only for mail collection but as a neatly designed element of the entrance area. The powder-coated render cover frame provides a clear finish to the façade; its upper area becomes the characteristic NELLY labelling surface.

## Key benefits of the Edition NELLY

### Labelling frame as part of the façade

In the recessed version, personalisation is integrated directly into the architecture: the upper area of the render cover frame serves as a labelling surface for house number and/or street name. This avoids an additional sign solution and creates a calm, integrated NELLY look.

### Bi-colour: RAL 7016 meets brushed stainless steel

The mailbox body is made of galvanised steel and powder-coated in RAL 7016 anthracite grey fine-texture matt. The letter flaps, by contrast, are stainless steel V2A 1.4301 and brushed with 240-grit. The stainless steel render cover frame is powder-coated and neatly offsets the anthracite body from the façade.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### Large aperture for DIN C4

The 35 × 325 mm insertion slot is designed for DIN C4 in landscape orientation. Larger letters can also be inserted without being folded. The mailbox design complies with DIN EN 13724.

### Quiet everyday operation

The brushed stainless steel letter flaps are fitted with a noise-dampening rubber seal. A mail-retention bar supports controlled removal, while the doors open from left to right.

### Robust render cover frame 25 × 58 mm

The render cover frame consists of a 25 × 58 mm stainless steel angle profile made from 1.5 mm thick V2A 1.4301. Powder-coated in the RAL colour, it forms a clear, robust finish between the mailbox system and the façade.

## Equipment and technical features

### Material and mailbox

**Version** 3 mailboxes (3 × 1)
**Mailbox body** Steel, galvanised; RAL 7016 anthracite grey fine-texture matt
**Letter flaps** Stainless steel V2A 1.4301, 240-grit brushed
**Insertion aperture** 35 × 325 mm, DIN C4 landscape
**Standard** DIN EN 13724

### NELLY design and operation

**Labelling** Individual laser engraving in BML Lasercut lettering
**Nameplate** Changeable nameplate under the letter flap
**Mail-retention bar** Integrated for each mailbox
**Mail removal** From the front
**Door opening** From left to right
**Locking system** Depending on the chosen product configuration

### Installation and construction

**Installation type** Recessed
**Render cover frame** Stainless steel angle profile 25 × 58 mm made from 1.5 mm stainless steel V2A 1.4301, powder-coated
**Labelling surface** Upper render cover frame with individual laser engraving
**Rain run-off edge** Integrated into the construction
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

#### Note on weather protection

Mail is optimally protected from moisture and soiling when fully inserted and with the letter flap closed. Protruding items can prevent the flap from closing completely.

#### Note on recessed installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The recessed installation should be carried out professionally into the intended wall build-up. When installing in insulated external walls, particular attention must be paid to sealing and potential thermal bridges.

## Product properties

| | |
|---|---|
| **Material** | Steel, galvanised, Stainless steel V2A 1.4301 |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **House number** | House number as laser engraving |
| **Surface/colour** | RAL 7016 anthracite grey, Brushed |
| **Removal of mail** | On the front |
| **Number of boxes** | with 3 letterboxes |
| **Mounting type** | Flush-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions


| | |
|---|---|
| **Height of single box in mm** | 330.0 |
| **Width of single box in mm** | 355.0 |
| **Capacity in litres** | 12.0 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 325.0 |
| **Height of letterbox in mm** | 492.0 |
| **Width of letterbox system in mm** | 1119.0 |
| **Total width in mm** | 1119.0 |
| **Depth in mm** | 100.0 |
| **Weight in kg** | 20 |
| **Delivery condition** | Delivered fully assembled. |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618