Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - stainless steel V2A | 150mm depth | with 1 mailbox | Bottom | Stainless steel, brushed



Product number 382XA-VA-1-SP-150-U

Product description

Single stainless-steel surface-mounted letterbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted letterbox for one party made in Germany by Briefkasten Manufaktur. The letterbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well-thought-out concept make this letterbox one of our bestsellers. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid replaceable nameplate, a practical mail retention bar and the very robust lock characterise this surface-mounted letterbox.

The letterbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part installation and uncomplicated self-assembly.

Spare parts are available directly for all BASIC Plus systems. Surface-mounted letterbox made of weather-resistant stainless steel V2A 1.4301, 240-grit brushed.

The benefits at a glance

Stainless-steel side cladding with rain hood

Side cladding and rain hood are made of stainless steel V2A 1.4301, 240-grit brushed and complement the system as a structurally matched weather protection.

Generous mail slot

The mail slot measures 35 × 325 mm and is designed for DIN C4 landscape. The letterbox version complies with DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and comfortable collection

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail retention bar holds items back during collection.

Integrated bell and intercom area

Bell box made of stainless steel V2A 1.4301, 240-grit brushed. The stainless-steel bell button Type 4 is used. Optionally prepared with a speech grille for the installation of conventional two-way intercom systems or built-in speakers. (Two-way intercom system / built-in speaker not included). An execution with Comelit Ultra video complete set is also available as an option.

Quality manufacture and considered construction

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-assembly.

Equipment and product details

Letterbox system

Number of letterboxes 1 individually usable compartment
Depth 150 mm
Letterbox material Stainless steel V2A 1.4301
Letterbox finish 240-grit brushed
Bell / intercom unit Bell box made of stainless steel V2A 1.4301, 240-grit brushed

Mail and operation

Mail slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-damped by rubber seal
Mail retrieval Front retrieval
Keys 2 keys with key number per letterbox
Nameplate Replaceable nameplate beneath the insertion flap
Mail retention bar Integrated per letterbox

Mounting and equipment

Mounting type Surface-mounted
Rain drainage edge Integrated into the construction
Rain hood Made of stainless steel V2A 1.4301, 240-grit brushed
Side cladding Made of stainless steel V2A 1.4301, 240-grit brushed
Mounting material For wall mounting incl. fastening material (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

The mail is optimally protected against moisture and dirt when fully inserted and the insertion flap is closed. Oversized items can prevent the flap from closing completely.

Note on wall mounting

Before mounting, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the system weight and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	430.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	8

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618