6-unit (3x2) surface-mounted mailbox system BASIC - Edition NELLY - Bi-colour VA - RAL 7016 anthracite grey | with 6 mailboxes (3x2)



Product number 382A-7016VA-BS-6-3X2

Product description

6-unit surface-mounted mailbox system BASIC – Edition NELLY – 3 × 2 – BI-Color stainless steel / RAL 7016 anthracite grey

"Everything begins with longing." – Nelly Sachs

The Edition NELLY combines the proven BASIC mailbox technology with a distinctly more individual appearance. The mailbox body is made of galvanised steel and is powder-coated in RAL 7016 anthracite grey fine-texture matt, while the insertion flaps are made of stainless steel V2A 1.4301 and ground with 240 grit. This deliberate BI-Color contrast appears modern and high-quality and can be combined with many front doors, windows and façades. As a surface-mounted version with 6 mailboxes (3 × 2), NELLY is not only intended for mail reception but also serves as a neatly designed part of the entrance area. The flush-looking side cladding with weather protection canopy visually frames the system and at the same time provides the area for the characteristic NELLY labelling panel.

The special advantages of Edition NELLY

NELLY labelling panel – house number and street name

The distinctive NELLY detail is the applied labelling panel on the weather protection canopy. It is customised with your individual laser engraving and turns the mailbox system into a personal element of the entrance area – house number and street name are clearly integrated into the overall design.

BI-Color: RAL 7016 meets brushed stainless steel

The mailbox body made of galvanised steel is powder-coated in RAL 7016 anthracite grey fine-texture matt. The insertion flaps, by contrast, are made of stainless steel V2A 1.4301 and are ground with 240 grit. The weather protection canopy and side cladding are also made of stainless steel V2A and powder-coated.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Large insertion for DIN C4

The 35 × 325 mm insertion opening is designed for DIN C4 in landscape format. Larger letters can also be inserted without having to be folded. The mailbox design complies with DIN EN 13724.

Quiet operation in everyday use

The brushed stainless steel insertion flaps are equipped with a noise-dampening rubber seal. A mail retention bar supports controlled removal, while the doors open from left to right.

Robust 1.5 mm stainless steel cladding

The weather protection canopy and side cladding are made from 1.5 mm thick stainless steel V2A 1.4301 and are powder-coated. This gives the surface-mounted unit a neatly framed, robust construction and additionally protects the mailbox unit in daily use.

Equipment and technical features

Material and mailbox

Version 6 mailboxes (3 × 2)
Mailbox body Steel, galvanised; RAL 7016 anthracite grey fine-texture matt
Insertion flaps Stainless steel V2A 1.4301, 240 grit brushed
Insertion opening 35 × 325 mm, DIN C4 landscape
Standard DIN EN 13724

NELLY design and operation

Labelling Individual laser engraving in BML Lasercut typeface
Nameplate Replaceable nameplate under the insertion flap
Mail retention bar Integrated per mailbox
Mail removal From the front
Door opening From left to right
Locking system Depending on chosen product configuration

Installation and construction

Type of installation Surface-mounted wall installation
Cladding Weather protection canopy + side cladding made of 1.5 mm stainless steel V2A 1.4301, powder-coated
Labelling panel Applied panel on the weather protection canopy with individual laser engraving
Mounting Mounting rail including fixing materials for wall installation
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are best protected against moisture and dirt when fully inserted and the insertion flap is closed. Protruding items can prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be appropriate for the existing wall construction and the weight of the unit.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
House number	House number as laser engraving
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	777.0
Width of letterbox system in mm	1079.0
Total width in mm	1079.0
Depth in mm	100.0 + 24.0
Weight in kg	38
Delivery condition	Delivered pre-assembled/partially dismantled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618