Designer doorbell column GOETHE 200x1600 - RAL colour of your choice | 3 bell pushes with nameplates

Product number 215-KLS-2001600-KL3



Product description

Designer doorbell column GOETHE 200x1600 - RAL colour of your choice

The modern GOETHE doorbell column is ideal for demanding environments. Its linear design gives this column a particularly elegant appearance.

This doorbell column is completely weatherproof and perfectly suited for outdoor use thanks to the 3 mm side cladding with rain canopy and the rear panel with base plate made of 6 mm aluminium. The column is available with 1–6 doorbell buttons. Optionally, provisions for a speaker, camera and house number can be prepared.

The doorbell columns of the GOETHE collection are characterised by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part installation and straightforward self-assembly. Spare parts for all GOETHE systems are available directly from our shop.

Thanks to the design, self-assembly is straightforward.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality doorbell column made of stainless steel and aluminium.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- 4x housings (W×H×D 200 × 400 × 100 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Functional boxes open from top to bottom. Concealed fastening with screws.
- House number approx. 70 mm high (max. 3 digits) with energy-saving LED illumination 12 V DC approx. 50 mA / 1 W, white.
- Replaceable nameplate made of Plexiglas, optionally illuminated.
- The inscriptions on the nameplates can be replaced from the front as required.
- Includes EVN LED power supply / transformer IP65 12 V DC 0.1−4 W for the LED lighting (house number and nameplate if selected).
- 8–12 V DC short-travel doorbell push button with white LED ring illumination.
- An 8–12 V DC short-travel illuminated push button with pictogram is available as an option.
- Preparation for an intercom system possible (built-in speaker not included).
- Optional with universal adapter for all common flush-mounted speakers.
- Optional preparation for a camera (camera not included).
- Optimal protection from rain thanks to rain runoff edges and a 3 mm aluminium AlMg3 W19 rain canopy, powder-coated in RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Rear panel and base plate made of 6 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Concealed fastening inside the doorbell column via a reinforced base plate.

Important information

Camera or intercom preparation

We always recommend that electrical installation be carried out by a qualified electrician.

We offer preparation for cameras and intercoms from various manufacturers for our mailboxes. The preparation does not include end devices; it comprises the provision of mounting brackets, drillings and holes so that you can mount your device without difficulty.

Product properties

Series	GOETHE
Number of bell push buttons	3 buttons
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Surface/colour	RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	400,0
Width of single box in mm	200,0
Overall height in mm	1617,0
Total width in mm	208,0
Depth in mm	100.0 + 25.0 Rain roof
Weight in kg	28
Delivery condition	Delivery is assembled

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618