Designer flush-mounted door station GOETHE UP with DoorBird video intercom - RAL colour of your choice

Product number 215-SP-UP-1-DB



Product description

Design flush-mounted door station GOETHE UP with DoorBird video intercom – RAL colour of your choice

High-quality door station with a seamlessly integrated DoorBird IP video door station D2100E or D1100E in a flush design. The DoorBird IP video door station D2100E or D1100E is the smart solution for your entrance door. The IP video door station can be operated as a standalone unit or integrated into an existing smart home platform. Existing classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and be controlled via the app.

The mailbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our in-house engineers with a view to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is straightforward.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

- Flush-mounted door station completely made of stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Function box (BH 200x400 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in a RAL colour of your choice.
- The cover plate opens from top to bottom.
- With name inscription optionally by laser engraving or through-engraving (illuminated).
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Includes built-in DoorBird IP video door station D2100E or D1100E.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Important information

Camera or intercom preparation

The intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, please contact the electrician of your choice.

Water protection

For optimal water protection of your post, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail items are only protected from water if they are placed completely inside the box and the flap is closed. Post that is not fully inserted allows moisture and dirt to enter the mailbox. This unit is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a valid reason for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Connection technology	LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom
Functional box prepared for manufacturer	DoorBird
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Name labelling	Laser-engraved
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Width in mm	Outer dimension 250 | installation dimension 203
Height in mm	External dimension 450 | installation dimension 403
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	Außenmaß 250 | Einbaumaß 220
Depth in mm	100.0 | installation dimension 98.5
Weight in kg	5
Delivery condition	Delivery is assembled

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618