4-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice | 100mm depth | ? Colour of your choice | with 4 mailboxes (2x2) | Top



Product number 382XA-4-SP-100-O

Product description

4-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell module - RAL colour of your choice

High-quality surface-mounted mailbox for 4 households made in Germany by Briefkasten Manufaktur. The mailbox is made entirely from stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well-thought-out concept make this mailbox one of our top sellers. A rain runoff edge for optimal water protection, a continuous rubber lip for quiet mail insertion, the robust interchangeable nameplate, a practical mail-retaining bar and the very sturdy lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility/modularity, simple spare-part assembly and straightforward self-installation. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for elaborate wall mounting of individual boxes. 4-unit surface-mounted mailbox made from stainless steel V2A, powder-coated in a RAL colour.

Advantages at a glance

Stainless steel side cladding with rain canopy

Side cladding and rain canopy are made from stainless steel V2A, powder-coated in a RAL colour of your choice, and complement the system as coordinated weather protection.

Generous mail slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The mail slot measures 35 × 325 mm and is sized for DIN C4 landscape. The mailbox complies with DIN EN 13724.

Quiet insertion and comfortable retrieval

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail-retaining bar holds items back during retrieval.

Integrated doorbell and intercom area

Bell/intercom section made from stainless steel V2A, powder-coated in RAL colour. The stainless steel doorbell button Type 4 is used as the bell push. Optionally prepared with a speech grille for the installation of commercially available intercom systems or flush-mount speakers. (Intercom system/flush-mount speakers not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and well-thought-out construction

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 4 separately usable mail compartments
Arrangement 2 × 2
Depth 100 mm
Mailbox material Stainless steel V2A
Mailbox finish Powder-coated in RAL colour of your choice
Bell/intercom section Bell/intercom section made from stainless steel V2A, powder-coated in RAL colour

Mail and operation

Mail slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-dampened by rubber seal
Keys 2 keys with key number for each mailbox
Nameplate Interchangeable nameplate beneath the insertion flap
Mail-retaining bar Integrated in each mailbox

Installation and equipment

Type of installation Surface-mounted
Rain runoff edge Integrated into the construction
Rain canopy Made from stainless steel V2A, powder-coated in RAL colour of your choice
Side cladding Made from stainless steel V2A, powder-coated in RAL colour of your choice
Mounting material For wall mounting including mounting rail and fastening material (screws + wall plugs)
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Post items are best protected from moisture and soiling when fully inserted and with the insertion flap closed. Oversized items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the system weight and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	4 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	760.0
Width of letterbox system in mm	710.0
Total width in mm	710.0
Depth in mm	100.0 | 150.0
Weight in kg	34

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618