# 4-unit surface-mounted mailbox BASIC Plus 382X AP with side-mounted doorbell box - RAL colour of your choice | Right | 100mm depth | ? Colour of your choice | with 4 mailboxes (2x2)



**Product number** 382XA-4W-SP-100-R

## Product description

## 4-unit surface-mounted mailbox BASIC Plus 382X AP with side bell box - RAL colour of your choice

German quality manufacturing "Made in Germany" by Briefkasten Manufaktur. The complete surface-mounted mailbox is made of weather-resistant stainless steel V2A, powder-coated in a RAL colour. A drip edge for optimal water protection, a double-folded mail flap with rubber buffer, a solid interchangeable nameplate, a practical mail retention bracket and a very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility and modularity, easy spare part installation and uncomplicated self-installation. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for time-consuming wall mounting of individual boxes. 4-unit surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2A 1.4301, powder-coated in a RAL colour of your choice.

## The advantages at a glance

### Close-fitting stainless steel cladding with rain cover

Side cladding and rain cover are included in this design and are made of stainless steel V2A, powder-coated in a RAL colour. The close-fitting design forms a closed, constructionally coordinated unit with the mailbox system.

### Generous mail slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox design complies with DIN EN 13724.

### Quiet insertion and comfortable retrieval

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail retention bracket holds items back during removal.

### Integrated bell and intercom area

Bell box made of stainless steel V2A 1.4301, powder-coated in a RAL colour. The stainless steel doorbell button Type 4 is used as the bell push. Optionally prepared with a speech grille for the installation of conventional intercom systems or flush-mounted speakers. (Intercom system/flush-mounted speaker not included). An option with the Comelit Ultra video complete set is also available.

### Quality manufacturing and thoughtful construction

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

## Equipment and product details

### Mailbox system

**Number of mailboxes** 4 separately usable mail compartments
**Arrangement** 2 × 2
**Depth** 100 mm
**Mailbox material** Stainless steel V2A 1.4301
**Mailbox finish** Powder-coated in a RAL colour of your choice
**Bell/intercom unit**Bell box made of stainless steel V2A 1.4301, powder-coated in a RAL colour

### Mail and operation

**Insertion opening** 35 × 325 mm, suitable for DIN C4 landscape
**Standard** DIN EN 13724
**Mail flap** Noise-damped by rubber buffer
**Keys** 2 keys with key number per mailbox
**Nameplate** Interchangeable nameplate below the mail flap
**Mail retention bracket** Integrated for each mailbox

### Mounting and equipment

**Mounting type** Surface-mounted
**Drip edge** Integrated into the construction
**Rain cover** Made of stainless steel V2A, powder-coated in a RAL colour of your choice
**Side cladding** Made of stainless steel V2A, powder-coated in a RAL colour of your choice
**Mounting materials** For wall mounting including mounting rail and fixing materials (screws + wall plugs)
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

**Note on weather protection**

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

When mail items are fully inserted and the flap is closed, they are best protected from moisture and soiling. Bulky protruding items can prevent the flap from fully closing.

#### Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be adapted to the weight of the unit and the existing wall construction.

## Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | BASIC |
| **Number of bell push buttons** | 4 buttons |
| **Functions** | Light button, Intercom |
| **Functional box prepared for manufacturer** | GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit |
| **Boxes by volume** | Normal > 10 litres |
| **Number of boxes** | with 4 letterboxes |
| **Name labelling** | Nameplate |
| **Material** | Stainless steel V2A 1.4301 |
| **Removal of mail** | On the front |
| **Mounting type** | Surface-mounted |

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 330.0 |
| **Width of single box in mm** | 355.0 |
| **Capacity in litres** | 12.0 \| 17.0 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 325.0 |
| **Height of letterbox in mm** | 660.0 |
| **Width of letterbox system in mm** | 880.0 |
| **Total width in mm** | 880.0 |
| **Depth in mm** | 100.0 \| 150.0 |
| **Weight in kg** | 12 |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618