3-unit 4x1 stainless steel freestanding letterbox Design BASIC Plus 385X ST-R with bell box - RAL colour of your choice | ? Colour of your choice | Top | with 3 mailboxes



Product number 385XR-3-SP

Product description

Freestanding mailbox system BASIC Plus 385X ST-R with doorbell/intercom module for 3 households

The freestanding BASIC Plus 385X ST-R mailbox system for 3 households combines high-quality mailboxes with an integrated doorbell/intercom module. This creates a compact entrance solution for smaller multi-family houses, properties with a granny flat, and office or practice buildings, bringing mailbox, doorbell buttons and the preparation for a flush-mounted speaker together in one unit.

The mailboxes are made from stainless steel V2A and are powder-coated in the selected RAL colour. The weather-resistant stand posts of brushed stainless steel V2A 1.4301 provide an elegant contrast and form the stable freestanding substructure.

Each mailbox offers a capacity of approx. 12 litres. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. A noise-dampening rubber lip on the flap, front mail retrieval and robust doors that open from left to right ensure practical everyday use.

The advantages of the BASIC Plus 385X ST-R system at a glance

Mailbox and doorbell in one unit

3 separately usable mailboxes are combined with an integrated doorbell/intercom module. This keeps the entrance area functionally and visually compact.

Solid stainless steel stand posts

Ø 60 mm stand posts of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

DIN C4 slot and 12-litre capacity

The mailboxes measuring 300 × 110 × 385 mm (W × H × D) each offer approx. 12 litres capacity. The 35 × 265 mm mail slot also accepts larger DIN C4 postal items in portrait format.

Prepared for flush-mounted speaker

The speaker opening is equipped with a universal adapter.

BASIC Plus – colour of your choice

The powder-coated V2A mailboxes can be selected in a RAL colour to match the architecture. Brushed stainless steel stand posts, modular construction and German manufacturing round off the durable system.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 3 separately lockable mailboxes
Single mailbox 300 × 110 × 385 mm (W × H × D)
Capacity Approx. 12 litres per mailbox
Material Stainless steel V2A, powder-coated in RAL colour of your choice
Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes conforming to DIN EN 13724

Doorbell and intercom module

Doorbell buttons 3 round stainless steel doorbell push-buttons, type 4
Doorbell/intercom unit Stainless steel V2A, powder-coated in RAL colour
Speaker preparation Speaker opening with universal adapter for commercially available flush-mounted speakers
Faceplate position Depending on chosen configuration: left, top or right
Cable access Side cable access; concealed cable routing through the stand post

Stand posts and installation

Stand posts Ø 60 mm stainless steel V2A 1.4301, brushed
Mounting options Either screw-mounted or to be set in concrete
Overall height Depending on selected stand post version
Base material Consistent use of stainless steel V2A
Construction Modular and installation-friendly design
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note regarding the doorbell/intercom unit

The speaker provision is intended for the installation of a suitable flush-mounted speaker. Planning, electrical connection and commissioning of the intercom system should be carried out by suitably qualified personnel.

Installation of the freestanding system

For screw mounting, a level, sufficiently load-bearing foundation is required. For the version to be set in concrete, the stand posts must be plumb and permanently anchored in a suitably dimensioned concrete foundation. Fixings and foundation must be adapted to the weight of the system, ground conditions and local circumstances.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the flap is closed. Protruding letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series has a modular and installation-friendly design. The consistent use of stainless steel V2A supports a long service life; spare parts for BASIC Plus systems are directly available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	26
Delivery condition	Delivery is in blocks; stand elements / mailbox are delivered separately.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618