
Stainless steel through-wall letterbox GRIMM - CUSTOMISED

Product number 515DW



Product description

Stainless steel through-wall letterbox GRIMM with doorbell - intercom - labelling - optional camera

High-quality through-wall letterbox manufactured by Briefkasten Manufaktur. Thanks to the variable shaft length of between 270 mm and 400 mm, this letterbox can be used in almost all types of masonry. Mail is retrieved from the rear. The front and rear stainless steel panels, made from 2 mm stainless steel V2A, brushed, can be attached invisibly to the wall thanks to the screw fixings inside the shaft. No fixing screws are visible.

A real eye-catcher among letterboxes. Clean lines and an unadorned design characterise the GRIMM letterbox. Our products are of high quality, offer reliable functionality and have a distinctive identity. Made by Briefkasten Manufaktur.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Designer stainless steel through-wall letterbox made from 2 mm stainless steel V2A 1.4301, brushed.
- Rear mail retrieval door 300 x 100 mm, opens from left to right. Includes 2 keys with key number.
- Front mail slot, slot dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit without folding. Note: no anti-theft/extraction protection!
- Optionally with house number in polished finish, applied.
- Optionally replaceable nameplate in stainless steel with laser engraving or a nameplate made of plexiglass.
- 8–12 V DC short-travel doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push-button cannot be powered via the control unit. It must be connected to an additional power supply.
- Optionally available: an 8–12 V DC short-travel illuminated push-button with pictogram.
- Preparation for intercom system possible (built-in loudspeaker not included).
- Optional with universal adapter for all commercially available built-in loudspeakers.
- Optional preparation for a camera (camera not included).
- Front panel dimensions W 450 mm x H 500 mm.
- Top plate with retrieval door dimensions W 450 mm x H 250 mm.
- Letter chute dimensions W 380 mm x H 210–280 mm.
- Variable shaft length 270–400 mm.

Camera or intercom preparation

We always recommend having the electrical installation carried out by a qualified electrician.

We offer preparations for cameras and intercoms from various manufacturers for our letterboxes. The preparation does not include end devices; it comprises the provision of mounting points, drillings and openings so that you can mount your device without difficulty.

Water protection

To ensure optimal water protection for your mail, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. Therefore it is necessary to plan sufficiently sized letterboxes for the anticipated demand. Under certain extreme weather conditions water may still enter (according to DIN EN 13724 up to 1 cm^3). This is not grounds for a complaint.

Product properties

Series	GRIMM
Functions	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Material	Stainless steel V2A 1.4301
Number of boxes	with 1 letterbox
Boxes by volume	Jumbo > 30 litres, Large > 16 litres
Surface/colour	Brushed
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Capacity in litres	21.0 - 31.0
Height of letterbox slot in mm	63.0
Width of letter slot in mm	350.0
Depth in mm	270.0 - 400.0
Weight in kg	32
Delivery condition	Delivery is made partially disassembled

Dimension drawing



More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618