2-compartment stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - RAL colour of your choice | 150mm depth | ? Colour of your choice | with 2 mailboxes (1x2) | Top



Product number 382XA-2-SP-150-O

Product description

2-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box – RAL colour of your choice

High-quality surface-mounted mailbox for 2 households made in Germany by Briefkasten Manufaktur. The mailbox is entirely made of stainless steel V2A, powder-coated in the RAL colour of your choice. The very high-quality workmanship and the well-thought-out concept make this mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the robust interchangeable nameplate, a practical mail retention bar and the very sturdy lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our in-house engineers with a view to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts are readily available for all BASIC Plus systems.

Thanks to the method of construction, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation, so there is no need for elaborate wall mounting of individual boxes. 2-unit surface-mounted mailbox made of stainless steel V2A, powder-coated in the RAL colour of your choice.

Key benefits at a glance

Stainless steel side cladding with rain canopy

Side cladding and rain canopy are made of stainless steel V2A, powder-coated in the RAL colour of your choice, and complement the unit as an integrated weather protection.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox complies with DIN EN 13724.

Quiet insertion and convenient retrieval

The integrated flap damper with rubber seal reduces impact noise during insertion. The mail retention bar holds items back during retrieval.

Integrated bell and intercom section

Bell/intercom section made of stainless steel V2A, powder-coated in the RAL colour of your choice. The stainless steel bell push type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or built-in loudspeakers. (Intercom system/built-in loudspeaker not included). An option with the Comelit Ultra video kit is also available.

Quality manufacture and well-thought-out construction

The unit is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox unit

Number of mailboxes 2 separately usable mail compartments
Arrangement 1 × 2
Depth 150 mm
Mailbox material Stainless steel V2A
Mailbox surface Powder-coated in the RAL colour of your choice
Bell/intercom section Bell/intercom section made of stainless steel V2A, powder-coated in the RAL colour of your choice

Mail and handling

Insertion opening 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-dampened with rubber seal
Keys 2 keys with key number for each mailbox
Nameplate Interchangeable nameplate beneath the insertion flap
Mail retention bar Integrated in each mailbox

Installation and fittings

Mounting type Surface-mounted
Rain drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, powder-coated in the RAL colour of your choice
Side cladding Made of stainless steel V2A, powder-coated in the RAL colour of your choice
Mounting material For wall mounting incl. mounting rail and fixing material (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail items are best protected from moisture and dirt when fully inserted and the insertion flap is closed. Oversized items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be matched to the unit weight and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	760.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	14
Delivery condition	The system is delivered pre-assembled/partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618