Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell housing - RAL colour of your choice | 150mm depth | ? Colour of your choice | with 1 mailbox | Bottom



Product number 382XA-1-SP-150-U

Product description

Single stainless-steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of choice

High-quality surface-mounted mailbox for 1 party made in Germany by Briefkasten Manufaktur. The mailbox is entirely made of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well-thought-out concept make this mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post retention bar and the very robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with regard to high flexibility and modularity, easy spare-part assembly and straightforward self-installation.

Spare parts are directly available for all BASIC Plus systems. Surface-mounted mailbox made of stainless steel V2A, powder-coated in a RAL colour.

Benefits at a glance

Stainless-steel side cladding with rain canopy

Side cladding and rain canopy are made of stainless steel V2A, powder-coated in a RAL colour of your choice and complement the system as a structurally matched weather protection.

Generous letter slot

The letter slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox version complies with DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during insertion. The post retention bar holds items back during removal.

Integrated bell and intercom area

Bell/intercom section made of stainless steel V2A, powder-coated in a RAL colour. A stainless-steel bell push type 4 is used. Optionally prepared with a speech grille for the installation of commercially available exchange intercom systems or flush-fit speakers. (Exchange intercom system/flush-fit speaker not included). An option with the Comelit Ultra video kit is also available.

Quality manufacturing and thoughtful construction

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 1 separately usable mailbox
Depth 150 mm
Mailbox material Stainless steel V2A
Mailbox finish Powder-coated in RAL colour of choice
Bell/intercom section Bell/intercom section made of stainless steel V2A, powder-coated in RAL colour

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Noise-dampened by rubber seal
Keys 2 keys with key number per mailbox
Name plate Interchangeable nameplate beneath the letter flap
Post retention bar Integrated for each mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, powder-coated in RAL colour of choice
Side cladding Made of stainless steel V2A, powder-coated in RAL colour of choice
Mounting material For wall mounting incl. fixing material (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Postal items are best protected from moisture and dirt when fully inserted and with the letter flap closed. Oversized items may prevent the flap from closing completely.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the system weight and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	430.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	8

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618