COMELIT IP apartment station TP6842B black – 7TOP 7? Wi?Fi hands-free indoor monitor

Product number 1299-TP6842B



Product description

COMELIT IP apartment station TP6842B black – 7TOP 7″ Wi-Fi hands-free indoor monitor for VIP systems

The **Comelit TP6842** (7TOP series) combines elegant design with high functionality: a 7″ touchscreen monitor with a mechanical door-release button (backlit), a robust housing and a variety of mounting options. Ideal for private residences, offices and commercial premises.

- **7″ colour touchscreen (res. 1024×600, 16:9)** – intuitive user guidance
- **Hands-free audio (full-duplex)** for convenient communication without a handset
- **Mechanical door-release button** with backlighting – simple physical door opening
- **Ethernet & Wi-Fi (2.4 GHz)** – for integration with Comelit Cloud for app notifications
- **PoE power supply** (IEEE 802.3af), optional 48 V DC – flexible power options
- **Micro-SD card slot** – for custom ringtones
- **Programmable I/Os**: 4 inputs, 1 output plus separate doorbell-tone output
- **Support for video formats H.264/H.265** and automatic firmware updates via the cloud
- **ViP system functions**: Memovideo, alarm management, "Doctor" door automation, privacy mode and much more
- **Mounting options:** wall and table mounting (stand sold separately), including metal backplate

Applications

Ideal for single-family homes, office buildings, villas or commercial complexes. The TP6842 is part of the **Comelit VIP system** and is perfect for those seeking advanced access management with cloud features.

Technical specifications (summary)

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Display size:	7? TFT touchscreen
Resolution:	1024?×?600 Px
Network:	Ethernet 10/100?Mbit + Wi?Fi 2.4?GHz
PoE:	IEEE 802.3af (37–57?V DC)
I/O:	4 inputs, 1 output
Protection rating:	IP30

Important information

Camera or intercom provision

The intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, please contact the electrician of your choice.

Product properties

Connection technology	LAN
Mounting type	Surface-mounted

Dimensions

Width in mm	210
Height in mm	120
Total width in mm	210
Depth in mm	21
Weight in kg	1

More images

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618