10-unit freestanding mailbox Design BASIC 385P ST-T with doorbell box - stainless steel - RAL 7016 anthracite | Right | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 10 mailboxes



Product number 385P-7016VA-10S-SP-R

Product description

Freestanding mailbox system BASIC 385P with bell/intercom module on the right for 10 households – BI-Color stainless steel / RAL 7016 – narrow version

The freestanding BASIC 385P mailbox system for 10 households combines 10 individually usable mail compartments with an integrated bell function housing. This brings mail reception, doorbell buttons and the provision for a compatible door intercom system together in a robust, visually unified entrance solution for larger apartment buildings, residential complexes and commercial properties. In this variant the bell/intercom module is positioned to the right of the mailbox system.

The mailbox bodies are made of galvanised steel and finished in RAL 7016 Anthracite grey fine-texture matt powder coating. Brushed stainless steel insertion flaps provide a high-quality BI-Color accent. Side cladding and rain hood are made of stainless steel V2A and are powder-coated to match in RAL 7016. Particularly distinctive are the solidly manufactured stand elements made from anodised aluminium profile, which are also coated in anthracite grey and give the system a secure, very robust footing.

Each of the 10 mail compartments has approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait format. A noise-damping rubber lip reduces the impact noise of the insertion flap. Mail is retrieved from the front; the access doors open from left to right. Each mailbox is supplied with two numbered keys and an interchangeable nameplate located beneath the insertion flap.

The advantages of the BASIC 385P mailbox system at a glance

Integrated bell/intercom module on the right

The system combines 10 mailboxes with 10 stainless steel doorbell buttons and a speaker aperture with universal adapter. This creates a central, tidy solution for mail and visitor communication.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Solid aluminium stand elements

Solidly manufactured, anodised aluminium profiles form the stable base of the freestanding system. The powder-coated construction combines high load-bearing capacity with a durable design for outdoor use.

DIN C4 insertion with 12-litre volume

The mailboxes each offer approx. 12 litres of mail volume. The 35 × 265 mm insertion opening accepts DIN C4 items in portrait format without larger envelopes having to be unnecessarily folded.

Prepared for door communication

The speaker aperture with universal adapter is prepared for many commercially available flush-mounted loudspeakers.

BI-Color stainless steel / RAL 7016

Brushed stainless steel insertion flaps create a high-quality contrast to the anthracite grey mailbox bodies. The robust material combination combines a modern appearance with long-lasting everyday suitability.

Equipment of the BASIC 385P mailbox system

Mailbox system

Number of mailboxes 10 individually usable mail compartments
Mailbox dimensions 300 × 110 × 385 mm (W × H × D) per compartment
Mail volume Approx. 12 litres per mailbox
Material Galvanised steel; side cladding and rain hood in stainless steel V2A
Finish BI-Color: RAL 7016 Anthracite grey with brushed stainless steel insertion flaps
Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes conforming to DIN EN 13724

Bell and intercom module

Bell function housing Galvanised steel, powder-coated to match
Position Right
Doorbell buttons 10 round stainless steel doorbell buttons, type 4
Speaker aperture With universal adapter for commercially available flush-mounted loudspeakers
Nameplate Pressure-resistant and impact-resistant design

Solid aluminium stand elements

Stand elements Solidly manufactured anodised aluminium profile
Coating Powder-coated in RAL 7016 Anthracite grey
Mounting options Either screw mounting or embedding in concrete
Screw mounting Stand elements available in 1200 or 1600 mm
Embedding in concrete Stand elements available in 1600 or 2000 mm
Delivery condition Stand elements and mailbox system supplied divided for installation
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note regarding the bell/intercom unit

The universal adapter is suitable for many commercially available flush-mounted loudspeakers. Intercom systems or flush-mounted loudspeakers, power supply and cabling are not part of the described basic equipment and must be provided to suit the planned system.

Mounting on a foundation

For screw mounting a level and sufficiently load-bearing foundation is required. The fixings must be selected to suit the foundation, the system weight and the local installation situation.

Installation by embedding in concrete

For the embedding version the extended aluminium stand elements are anchored vertically in a suitably dimensioned concrete foundation. Foundation size and embedment depth must be matched to ground conditions, system dimensions and local loads.

Note on weather protection

The rain hood, close-fitting side cladding and rain drainage channels support weather protection. Mail items must be fully inserted so that the insertion flaps can close completely. Under extreme weather conditions, despite standard-compliant design, slight moisture ingress may occur.

Product properties

Material	Steel, galvanised, Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Series	BASIC
Number of bell push buttons	10 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Surface/colour	RAL 7016 anthracite grey, Brushed
Removal of mail	On the front
Number of boxes	with 10 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Overall height in mm	1200.0 | 1600.0
Total width in mm	700.0
Depth in mm	435.0
Weight in kg	78
Delivery condition	Delivery is made in blocks; freestanding units / mailbox delivered separately

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618